Hydrotherapy and Balneotherapy Catalogue



Our Technology. Your Comfort. Water Power.



Meden-Inmed Sp. z o.o. www.en.meden.com.pl

Welcome to Hydrotherapy and Balneotherapy Catalogue

Your professionalism supported by our experience

Hydrotherapy (also called water cure) is a stimulus treatment. Is one of the oldest methods in physiotherapy, using the external therapeutic effect of water - in the form of baths, showers, spills and other treatments. It utilizes the thermal, mechanical and chemical impact of water (less often electrical), thanks to which we are able to increase the overall immunity of the body, reduce stress or affect numerous diseases (musculoskeletal system, circulatory system, heart system diseases, injuries, etc.). Due to the huge variety of treatments and the intensity of stimulus doses, everyone can choose something for themselves.

Various therapies, used in the present-day hydrotherapy, take advantage of medical equipment specially designed for these purposes. Meden-Inmed has been specializing in the production of high quality hydrotherapy devices for many years. Based on many years of experience and knowledge as well as continuous effort to meet the requirements of users, we offer modern, reliable, functional and durable hydrotherapy equipment. You can find our equipment in over 70 countries. And our aim is to be helpful also in Your everyday work. That is why we hand over this catalogue to you. We hope you will find in it a lot of equipment useful in treatment of your patients.



Table of content

HYDROTHERAPY BATHS

Bath tub for automatic hydromassage - Aquaray	4
Therapeutic bath tub - Aquanea	
PARTIAL BATH TUBS	
Whirlpool bath tub for upper limbs - WKG	7
Whirlpool bath tub for lower limbs - WKS	
Whirlpool bath tub for lower extremities - WKD	
Whirlpool bath tub for lower extremities and spine - WKR	8
BALENOLOGICAL BATHS	
Bath tub for balneological hydromassage - Orionmed Balneo	
Brine and ${\rm CO_2}$ bath tub - Balmed Standard/Eco	
CO ₂ saturator - Carbosat	
Dry CO, and group baths, TOWER MY 1	
Dry CO ₂ and ozone baths - TOWER MX-1	10
THERAPEUTIC SHOWERS	
Jet showers - Orkan NBC1, NBC2, NBC2E	
Ring showers - Bryza NPL2, NPLE	
Whole body shower - Vichy Rainbow	. 12
ELECTRO-GALVANIC TREATMENTS	
WÖRISHOFEN GI-VZ	12
MOBILE HYDROTHERAPY	
Mobile water massage unit - Aquamobil	13
A closed-cycle water supply station - Ekopompa	
DRY HYDROMASSAGE	
Device for dry hydromassage - Aquai	14
Floating table with water mattress - Aquapad	
BALNEOLOGICAL TREATMENT	
Heaters and mixers for mud, fango and paraffin - Thermo-Mix	16
UNDERWATER TRAINING	
Water treadmill for rehabilitation - Aquamotion	
Professional bike for exercises in swimming pools – Water Cycle pro	17
ACCESSORIES	18
MEDICAL SPA & WELLNESS TABLES	
Professional couch - Pacific: Fiji, Hawaii	19
PATIENT CARE	
Mobile hygiene chair - Mohican II	. 20
Shower trolley - HydroGo	



Hydrotherapy baths







Dimensions (L x W x min. H): 225 x 88 x 73 cm



Capacity: 320 |



Box dimensions/weight: 240 x 120 x 129 cm/285 kg Aquaray
Bath tub for autor

Bath tub for automatic hydromassage

AQUARAY is a modern therapeutic tub with sophisticated design, specially dedicated to perform hydrotherapy treatments in rehabilitation centres, Medical SPA & Wellness facilities, Natural therapy centers and for private sector. Even demanding clients will be satisfied with the visual effect of the tub and with the treatment possibilities it's offer.

Advantages:

- Many versions depends on the therapist needs and possible options: 98 aeration apertures for air bubble massage, 24 nozzles for hydromassage working simultaneously or 24 (36) nozzles divided into 3 (5) zones/jet hose/cascade nozzle/ozone generator/heater/thermostat (options).
- Therapist comfort: economical use of water (min. 160 l), automatic filling/ drainage/ disinfection/descaling, easy accessible modern colour touch panel, 3 standard programs: P1, P2, P3, user programs (P4-P20), short filling/drainage time (* 4/2,5 min.).
- Patient comfort: rails for palm support and specially shaped parts for arms and legs that facilitate appropriate body position during treatment sessions, support for feet, steps, headrest, chromo/aroma/audio (options).

Standard colours of basin:



Available version of Aquaray Balneo - bath tub for balneological baths



Orionmed

Bath tub for body relaxation and healing massage

It is one of the most versatile hydrotherapy bath tubs available on the market. It is designed to provide relaxation and therapeutic hydromassage all over body in three independent zones, manual whip underwater massage, pearl bath and bath with light effects.

Advantages:

- Many versions depends on the therapist needs and possible options: 126 aeration apertures for air bubble massage, 26 nozzles for hydromassage divided into 3 independent zones, ozon generator, jet hose (option).
- Therapist comfort: economical use of water (min. 160 l), automatic filling, disinfection/descaling system, semi-automatic drainage, easy accessible modern colour touch panel, 3 standard programs: P1, P2, P3, 1 user program, short filling/drainage time (~ 4 min.), heating system maintains water temperature automatically.
- Patient comfort: rails for palm support and specially shaped parts for arms and legs that facilitate appropriate body position during treatment sessions, support for feet (option), steps, headrest, chromo/aroma/audio (options).

Standard colours of basin:







Dimensions (L x W x H): 214 x 85 x 85 cm



Capacity: 320 |



Box dimensions/weight: 230 x 125 x 135 cm/285 kg



Therapeutic bathtub for SPA and thalassotherapy applications with automatic zone hydro massage is a blend of the newest technology, modern design and ergonomic shape.

Advantages:

- Many versions depends on the therapist needs and possibly options: 62 aeration apertures for air bubble massage, 188 nozzles for hydromassage working simultaneously or divided into 9 independent zones (option), ozon generator.
- Therapist comfort: economical use of water (min. 160 l), automatic filling/drainage/disinfection/descaling/canal's rising, multifunctional modern electronic touch panel with easily accesible menu, 5 standard and 3 user programs (option), short filling/drainage time (~ 4 min.), treatment possibilities: whirlpool massage, air bubble massage, baths with light effects, baths in clear water as well as with the use of mineral salts/algae/etc., possibility to combine a number of functions (e.g. air bubble bath with ozone)
- Patient comfort: rails for palm support and specially shaped parts for arms and legs that facilitate appropriate body position during treatment sessions, steps, headrest, chromo/aroma/audio (options).

Standard colours of basin:















It is an elegant tub with robust basin made of high quality acrylic resin reinforced with polyester laminate of large capacity for comfort manual underwater massage using a water jet with stepless water pressure control.

Advantages:

- Many versions depends on the therapist needs and possible options: jet hose, 56 aeration apertures for air bubble massage/11 nozzles for hydromassage (options).
- Therapist comfort: large capacity, pressure indicator (0-4,5 bar), automatic disinfection, descaling, electronic control panel, short filling/drainage time ($^{\sim}$ 6/4,5 min.), replaceable nozzle tips for the jet hose (option), treatment possibilities: manual underwater massage, automatic hydromassage using hydromassage nozzles, bath with light effects or with aromas.
- Patient comfort: railings and feet supports helping to maintain proper body position during treatment, steps, chromo/aroma/ audio (options).

Standard colours of basin:







Capacity: 550 I



Aqua Whirl partial bath tubs line





WKG Whirlpool bath tub for upper limbs

- Therapist comfort: economic use of water min. 30 I, effective hydromassage therapy via 44 nozzles, semi-automatic draining system, big diameter drain and filling system, automatic filling (option), electronic control panel, short filling/drainage time (~ 1,3/0,7 min.).
- Patient comfort: smooth, profiled treatment chamber, ergonomic design, swivel chair in set.

Standard colours of basin:



Dimensions (L x W x H): 90 x 95 x 92 cm



Capacity: 45 |

WKS Whirlpoo

Whirlpool bath tub for lower limbs

- Therapist comfort: economic use of water min. 45 I, effective hydromassage therapy via 38 nozzles, semi-automatic draining system, big diameter drain and filling system, automatic filling (option), electronic control panel, short filling/drainage time (~1,7/0,7 min.).
- Patient comfort: smooth, profiled treatment chamber, ergonomic design, swivel chair in set.


Standard colours of basin:







Capacity:



WKR Whirlpool bath tub for lower extremities and spine

- Therapist comfort: economic use of water min. 75 l/165 l (lower limbs bath/lower limbs+spine bath), effective hydromassage therapy via 12 adjustable direction jet nozzles, automatic filling, semi-automatic draining system, electronic control panel, short filling/drainage time (* 2/3,5 min.).
- Patient comfort: smooth, profiled treatment chamber, ergonomic design, steps in set.

Standard colours of basin:







WKD

Whirlpool bath tub for lower extremities

- Therapist comfort: economic use of water min. 120 l, effective hydromassage therapy via 6 adjustable direction jet nozzles, automatic filling, semi-automatic draining system, electronic control panel, short filling/drainage time (~ 4/3 min.).
- Patient comfort: smooth, profiled treatment chamber, ergonomic design, steps in set.

Standard colours of basin:







Capacity:

Balneological baths

Orionmed Balneo

Bath tub for balneological hydromassage

- * Therapist comfort: basin from high quality acrylic saline influence-resistant, economical use of water (min. 160 l), 26 nozzles for hydromassage working simultaneously, automatic filling/drainage, disinfection and descaling system, colour touch panel, short filling/drainage time (* 2/4 min.), pump and fittings elements adapted to saline waters, treatment possibilities: baths in saline waters, in CO_2 , thermal waters, baths with addition of beer or liquid mud (special liquid concentrate), regular water massage, bath with light, air bubble massage (aeration via a system of 126 nozzle with or without ozone).
- Patient comfort: rails for palm support and specially shaped parts for arms and legs that facilitate appropriate body position during treatment sessions, steps, headrest, chromo/audio/ footrest (options).









Capacity:



Box dimensions/weight: 230 x 125 x 140 cm/265 kg



Brine and CO, bath tub

- Many versions: Standard of capacity 150-300 I, Eco of capacity 140-240 I (reducing treatment costs), up to 3 types of media (water with CO₂, warm or cold brine, 64 aeration nozzles (option).
- Therapist comfort: basin from high quality acrylic resistant
 to temperature, some chemicals and mineral waters, large
 diameter of drain (fast emptying), two filling nozzles (fast
 filling), water installation (except for the connections, valves,
 thermomixer, solenoid valves) is made of PVC which ensures its
 high reliability, treatment possibilities: baths in saline/thermal/
 bicarbonate/sulfide waters, baths with addition of beer or liquid
 mud (special liquid concentrate), pearlet baths, baths with light
 effects
- Patient comfort: ergonomically shaped basin, steps, chromo/ footrest (options).

Standard colours of basin:







Capacity: 240/300 l



Box dimensions/weight: 220 x 95 x 100 cm/125 kg





Carbosat CO2 saturator

 Therapist comfort: operates in continuous mode - user can retrieve the water saturated with CO₂ continously (it allows to run 5 carbon dioxide treatments simultaneously), efficiently - 50 l/min., electrowalve automatically regulates the water supply network, stainless steel tank (approx. 160 l) with ceramic rings, electronic control panel, certified container.



Dimensions (L x ø): 187 x 32,4 cm



Efficiency [l/min]:



Box dimensions/weight: 215 x 80 x 110 cm/190 kg



Carbobed Dry baths in CO,

- Therapist comfort: fully automated treatment, effective and fast sealing of treatment chamber, automated: refilling of CO₂ and circulation of gas inside chamber/humidation of CO₂ (increases efficiency of treatment since the start), regulated gas temp. (30°-40°C), controlled piping away of CO₂ after end of treatment, mobile
- Patient comfort: regulated position of head support, treatment without taking off outer clothes



Dimensions (L x W x H): 215 x 70 x 98 cm



CO₂ average consumption:



Box dimensions/weight: 240 x80 x 140 cm/125 kg



Tower MX-1 Dry CO₂ and ozone baths

- Therapist comfort: automatic device work, build-in counter showing
 the duration of a therapy session on the control panel, chamber
 equipped with an innovative control system enabling adjustment of
 therapy parameters (temp. (30°-40°C), dose of gas and duration),
 automatic emptying of the chamber after session ending
- Patient comfort: treatment without taking off outer clothes



Dimensions (L x W x H): 120 x 120 x 180 cm



CO₂ average consumption: 20 kg per 160 sessions

Orkan Jet showers NBC1, NBC2, NBC2E

Whip showers allow to use thermal and mechanical water properties during treatment. Using stimuli provided by the stream of water and rapid water temperature changes, the therapeutic procedure can affect patient in different ways, for example: stimulate or sedate, increase or decrease the blood pressure.

Advantages:

Therapist comfort: free-standing console, manometer(s), thermometer(s), two jet guns or 3 jets (for pouring, scattered and dense water stream), 2 thermostatic taps for temperature adjustment -independent for two jest guns (NBC1) or for cold and warm water (NBC2, NBC2E), compensation tank for the reduction of small water pressure fluctuation in water system (NBC2, NBC2E).



Box dimensions/weight: 86 x 71 x 130 cm/55/56/59 kg



Pressure: 4-6 bar



Warm water temp.: max. 60°C



Therapeutic showers



Bryza Ring showers NPL2, NPLE

Bryza is dedicated to conduct a therapeutic procedure using water massaging properties and temperature. Appropriately arranged water jets, spray water under high pressure, massaging the patient's body uniformly.

Advantages:

- Therapist comfort: free-standing console, temp. control (2 thermostates), lever for fast temp. changes or automatic changes between cold and warm water (NPLE), electronic control panel/3 standard programs, 4 user programs (NPLE), compensation tank for reduction of small water pressure fluctuations in the water system.
- Patient comfort: treatment possibilities: cold and cool showers, warm showers, hot showers, cold/warm showers
- Special chair for sitting showers (option) operated from special adjusted console.





Pressure: 4-6 bar



Warm water temp.: max. 60°

Vichy Rainbow The whole body shower

The pleasant, relaxing and vitalising whole body shower for people in a reclining position. Vichy showers are especially well-proven in the hydro and Thalasso therapy as well as in the cosmetics, fitness and wellness areas.

Advantages:

- Therapist comfort: shower head equipped with micro nozzles assembled in 2 rows (swaying back and forth is showering the body from feet up to neck), the water is flowing over sparkling Swarovsky crystals, which diffuse the flicker-free LED colour light on the body; by the control panel the duration of the treatment, the admixture of additives/salts and the disinfection is regulated; thermostatic mixer with scald protection provides more security.
- Patient comfort: unique shower pleasure through the high-quality treatment, the sophisticated technology and the exceptional design; very fine water jets are spoiling the body in the same way as sea waves, with tender rain showers or with intensely crackling drops; by admixing agents (such as dissolved salt or nurturing oils), the wellfeeling can even be increased; additional accessories: treatment table for wet massages, height-adjustable feet for adjustment of the table, foam mattress.







Electrogalvanic treatments





Box dimensions/weight: 118 x 105 x 136 cm/100 kg

Currents:

- monophase (sinusoidal half-wave)
 50 Hz,
- ultra irritation current rectangle 140 Hz ratio pulse/pause 2/5,
- rectangular threshold current 50 Hz, with 0,5 Hz sinusoidal superposition,
- rectangular threshold current 50 Hz, with 2 Hz sinusoidal superposition.

WÖRISHOFEN GI-VZ

Four-cell bath tub

Four-cell bath tub for electro-galvanic treatments, with 4 different impulse currents.

Advantages:

- Therapist comfort: digital indication of warm and cold treatment periods and the number of alternating treatments, touch pad for easy operation, low water consumption due to spraying nozzles,
- Patient comfort: treatment options: A. galvanic baths, equipped with 4 pulsed currents as a standard feature (microprocessor-control GI-VZ for single and multiple cell treatments), B. Kneipp-style baths alternating hot and cold water (the cells are filled with water of differing temperatures; Kneipp therapy is carried out by immersing the arms and legs into the water; manually regulated rising temperature baths can also be administered), C. rising temperature baths; therapeutic baths with alternating temperature jets can be administered automatically with the WBS accessory (option).

Mobile hydrotherapy





Aquamobil Mobile water massage unit

Allows to perform professional underwater massage in standard tubs at SPAs, hospitals or home. Handheld hose with a set of interchangeable nozzles gives a relaxing, deep massage to the muscles or subcutaneous

Advantages:



Box dimensions/weight: 67 x 90 x 125 cm/75 kg



Pressure: 0-4 bar

Ekopompa A closed-cycle water supply station

The station makes it possible to conduct treatment procedures in a proecological manner with water circulating in a closed cycle (built-in 10 litre tank) producing vibrations in the membrane of the Aquavibron device. Suitable for use in sanitariums, SPA centers and private practice.

Advantages:

- · Therapist comfort: small dimensions, mobility with 2 wheels, easy operation, closed water cycle massage independent from the water supply and sewage disposal system, it utilizes all the advantages of Aquavibron, adjustable massage force allows the therapist to set a gentle massaging intensity for more sensitive areas
- Patient comfort: treatment can be carried out at patient's







Dry hydromassage



Advantages:

- Therapist comfort: no need to connect to water tap, many treatment possibilities (jets can work simultaneously or in 6 independent zones, frequency and sequence of zones are adjustable, 7 programs (6 standard, 1 user)), delayed start at programmed number of hours, integrated heating system, temp. setting: 30 to 40°C, internal water cooling system maintains water temp. during preset hours regardless of the number of treatments, colour touch panel, card manager (option)
- Patient comfort: he can experience the beneficial power of hydrojet massage without getting wet - massage done through a layer of plastic coat, LED lighting at the base, audio (option)





Dimensions (L x W x H): 237 x 114 x 70 cm



Capacity:



Max. load: 135 kg



Box dimensions/weight: 259 x 139 x 105 cm/290 kg



Aquapad Floating table with water mattress

Equipped with a water mattress and integrated heating mat gives an impression of immersion into water mattress and the body is pleasantly rocked thanks to gentle water movements, which in combination with the thermal action of warm water, leads to deep relaxation. This new generation of the massage tables is designed for manual massage, Wellness and cosmetic treatments.

Advantages:

- Therapist comfort: height adjustment, remote control, shelf (allows you to store towels, gels, creams), easy disassembly of the headrest, mobile, stable, economic - no need to replace the water, premium polyurethane upholstery: very durable and allows treatment with olives/ gels/creams
- Patient comfort: the beneficial effects of warm and water without getting wet, nice to touch upholstery



Height adjustment: 58-98 cm



Capacity: 195 I



Max. load: 180 kg




Dimensions (L x W): 232 x 83 cm



Box dimensions/weight: 259 x 139 x 105 cm/300 kg



Balneological treatment



Advantages:

a specified temperature range

 Therapist comfort: made from materials resistant to corrosion (stainless steel), microprocessor-controlled electronics, electronic controller (possible to programm of some functions (e.g. "start in"), mixer with an automatic mixing arm (exc. C-14), heated drain valve of the mixer that prevents the mass from congealing (F-40, F-40/P), oil jacket (B-85L/B-130L/B-200L) very low energy consumption, sterilization (130°C (F-40), 110°C (F-40/P))

C-14 - device for heating and keeping the mass at



Temperature:

55-80°C (F-40, F-40/P), 30-60°C (F-40/B, B-85/130/200L), 25-80°C (C-14)

F-40, F-40/B, F-40/P, C-14



Box dimensions/weight: 80 x 80 x 98 cm/105, 110, 105, 114 kg

B-130L



Box dimensions/weight: 120 x 110 x 150 cm/300 kg



Underwater training

Aquamotion Water treadmill for rehabilitation

Water treadmill is a professional medical product for underwater treatments dedicated i.a. to improving balance and movement coordination, cardiovascular system diseases, sports rehabilitation. May be used by patients for which training on a dry treadmill or outdoors is contraindicated or impossible.

Advantages:

· Therapist comfort: many versions - intended for children or adults rehabilitation, it may be installed in places where the use of a traditional pool is restricted due to location or costs, children ver. can be placed in small rooms from 9 m², sand filter, hydraulic drive system, counterflow, safety laminated glass enabling monitoring of the therapy, others options



Max. weight of user (dep. on version): 50/135 ka



Max. height of user (dep. on version): 140/160 cm or unlimited



Water Cycle pro Professional bike for exercises in swimming pools

Construction of the bike allows to perform movements in the water (depth: 110-160 cm) without loading of the joints and is used for the rehabilitation of people with spinal column problems, arthritis, problems with cardiovascular and respiratory system, as well as with osteoporosis. The bike is also good solution for fitness activities in water.

Advantages:

- Therapist comfort: height/ saddle/ handlebar position adjustment, smooth adjustable resistance, possibility of leveling the bike in pools with sloped bottom, saddle adapted to work in water without losing its properties, transport wheels, frame of the highest resistance for pool environment
- Patient comfort: adjustment system allows taking a comfortable position during the training, stable



Box dimensions/weight: 120 x 80 x 150 cm/39 kg



Saddle height adjustment: 95-136,5 cm



Max. load:



Accessories

Headrests:







Aquai

Access cards:



Aquai

Steps and chairs:



Rectangular steps without handrail Oval steps without handrail (Aquanea) (WKD, WKR, Orionmed, Aquameden, Balmed, Aquaray)





Rectangular steps with handrail Swivel chair (WKS, WKG) (option)



Standard basin colours:



White

Calypso green

Products for maintenance:



Forte Prime - hydromassage bath tub disinfecant, package 11.



Kamix - descaling agent for bath tubs water system, package 25 kg.



Kristalit - cleaner for hydromassage bath tubs, package 1 l.

Medical SPA & Wellness tables



Professional SPA salon or Wellness centre requires highest quality equipment. To meet the needs of the most demanding customers we designed the Fiji and Hawaii couch. Exclusive couches are made with the highest care, from materials providing trouble-free operation for many years. Aesthetic design will turn your practice into a unique place where everyone will feel special.

Advantages:

- Many versions depends on the personnel needs: (2-, 4-, 5or 7-section massage couches).
- Therapist comfort: electric height adjustment by the means of remote controller, adjustment of: back, thighs, shanks sections by means of electric motors (Fiji ver.), easy head section adjustment via gas spring, Trendelenburg / reverse Trendelenburg position (15°), 2 fixed wheels or (option) 2 fixed wheels + 2 castors (central lifted), possible for techniques using oils (premium upholstery from PU, many colors to choose).
- Patient comfort: multi-layered and very soft upholstery of 15 (or 9) cm thickness, head rest with shaped face hole with crescent plug, foldable armrests lowered till 19 cm (4- or 7-sections ver.), with (option) integrated heating and LED lights, available for patients of weight up to 150 kg.



Pacific Hawaii

Box dimensions/weight: 220 x 95 x 95 cm/180 kg




Dimensions (L x W): 205/211 x 80 cm



Height adjustment: 69-103/65-105 cm

Patient care





daily hygiene and toilet activities. It is suitable for use in hospitals, sanatoriums, nursing houses, other care centers and homes.

Advantages:

- Caregiver comfort: adjustment via remote control allows easily change the height or inclination of the seat, easy to maneuver, thanks to el. height adustment can be set the right working height for different kinds of activities, accessories: easily removable bucket for hygiene and sanitary purposes, torso and leg belt
- Patient comfort: forward tilt makes it easier to perform a transfer from siting to stand, backwards tilt provides a comfortable position during e.g. hair washing, comfortable arm support, adjustable head support for excellent stability of the head, foldable, adjustable, large foot support; chair can be placed even directly above a toilet.



Box dimensions: 105 x 75 x 120 cm



Max. load: 180 kg



Tilt adjustments -5 to +26°

HydroGo Shower trolley

Hydraulic trolley which allows the safe body hygiene routines for an immobile person by using the shower. It makes transferring a user to the bathing area fast and simple. To collect a patient from the bedside we recommend our wide range of mobile lifters.



Advantages:

- Caregiver comfort: safe care which involves no manual lifting; secure, robust, mobile and easy to manoeuvre; height adjustable can be set at a height convenient for the carer via foot pedals available at both sides of trolley; foldable side rails (at 4 sides) to facilitate patient transfers, make easier access to patient and to provide extra security during showering and transporting; 4 large 125 mm TENTE noiseless castors (two straight steering castors to facilitate transporting along corridors), one of castors is electrically conductive / anti static (marked in yellow) that eliminate static electricity.
- Patient comfort: for those who require bathing in the supine position with the aid of a caregiver; comfortable padded liner (removable), head cushion.



Dimensions (L x W): 203 x 79 cm



Height adjustment: 45,5-91 cm



Max. load: 200 kg

Product trainings

Out of concern for our business partners, we have prepared various trainings and presentations about the products from our large offer. In our team we have a person who is responsible for our equipments' trainings, equipment demonstrations at the customers' premises, at exhibitions and congresses.



Maciej Pawłowski mpawlowski@meden.com.pl +48 663 152 888



Mariusz Rubik mrubik@meden.com.pl +48 690 266 543



Find us

Check out our social media websites. You will find videos, photos and many useful information.










Our Technology. Your Comfort. Water Power.



How to order easily

If our catalogue is of interest to you and you want to order any of presented products, please don't hesitate to contact us:



European markets (excl. GB, Ireland)

Kamilla Modzelewska Vice President

km@meden.com.pl
+48 94 344 90 50
+48 602 668 002



Russian-speaking countries
Oksana Ardan
Key Account Specialist
oardan@meden.com.pl
+48 94 347 10 67
+48 607 566 302



Karol Wojciechowski
Key Account Specialist
& Service Coordinator
kwojciechowski@meden.com.pl

+48 609 132 477



South America, Australia

Maciej Pawłowski

Key Account Specialist

& Training Consultant

mpawlowski@meden.com.pl
+48 663 152 888

Europe (GB, Ireland),



Mariusz Rubik Key Account Specialist & Training Consultant mrubik@meden.com.pl +48 690 266 543



Meden-Inmed Sp. z o.o.

Wenedów 2, 75-847 Koszalin, Poland

Phone: +48 94 344 90 50, +48 94 347 10 40

Fax: +48 94 347 10 41

international@meden.com.pl www.en.meden.com.pl

We export to more than 70 countries:

