MEDEN INMED

PROFESSIONAL MEDICAL ENGINEERING



www.en.meden.com.pl

# Massage tables Catalogue **2023**



Meden-Inmed was founded in 1989 as a company employing two people. Since then, it has gained a strong market position through hard work and reliability. Initially a small distributor of a few renowned manufacturers, now a dynamic company with over 470 employees - professionals in the fields of electronics, mechanics, economy, sales and marketing.

Modern rehabilitation combines specialized knowledge with state of the art technology. We knew that when we started our own production plant in 1996 and are even more convinced of it now, when we create new products and widen our offer of medical devices each year. We make sure they are modern, efficient, comfortable and user friendly. We are always happy to see new ideas turn into new products.

Every product we have sold proves the trust our customers have placed in us. Behind every device we deliver there is a long-term relationship. Our customers consciously select a supplier that not only delivers the equipment, but can also guarantee quality and professional service. It has always been our duty and our motto.

To address the growing needs of our customers we have now expanded the range of our products. Our goal is to deliver you complete range of equipment required by professionals in the field of rehabilitation. This catalogue shows just a part of our offer. We encourage you to visit our website.

We will help you choose the best equipment that is tailored to your needs. Let this catalogue be your guide to our products. Meden-Inmed's Team will assist you in every matter of our cooperation. We are always here to hear your voice. Your feedback is always welcome and appreciated.

**Maciej Zinka**
**CEO**

**Ph.D. Eng. Wiesław Zinka**
**Senior President**

**Before use, read the content of the user manual and the label, or consult a doctor - applies to all devices in this catalogue.**

## Our awards:

**European Medal 2021, 2020, 2016, 2013, 2012, 2011, 2010, 2009, 2008, 2007**

European Economic and Social Committee and Business Center Club

**Diamond of FORBES Magazine 2009, 2019**

**Ambassador of Polish Economy in category:**

**Exporter, 2014, 2022**
**XXI century solution creator, 2013**
**Partner of foreign companies, 2012**

**Perfect Line 2009 SPA Business**

**Gazelle of Business 2008**
**Gazelle of Business 2007**
**Gazelle of Business 2006**

**Awards of biggest rehabilitation equipment fairs in Poland - Rehabilitacja Fairs**

| | |
|---|---|
| XXVII | Rehabilitation Fair Łódź 2019 |
| XXII | Rehabilitation Fair Łódź 2014 |
| XXI | Rehabilitacja Łódź 2013 |
| XVI | Rehabilitacja Łódź 2008 |
| XV | Rehabilitacja Łódź 2007 |
| XIV | Rehabilitacja Łódź 2006 |
| XIII | Rehabilitacja Łódź 2005 |
| X | Rehabilitacja Łódź 2002 |

**5th rank on the list of 100 best companies in the region**

II Euroregional Economic Presentation Szczecin 2002

**Investment of the year 2009**

Polish Federation of Engineering Associations

**Product of West Pomerania 2015, 2012, 2010, 2009**
**Product of Pomerania 2009, 2008, 2007**

Polish Federation of Engineering Associations

**Product of Koszalin 2014, 2013, 2010, 2009, 2008, 2007, 2006**

Polish Federation of Engineering Associations

**Best Distributor Award 2019**

KOELIS

**Pioneer Distributor Award 2017**

Business Centre Club


**Leader of Polish business 2016, 2017, 2019**

Business Center Club


## Types of base system:

### F0

F0 system composed of 2 legs with non-slip rubber feet and 2 small wheels for moving of Prestige Table by lifting it from one side. The system is recommended for users who relocate their Prestige Table less frequently.




# Massage tables
# **Terapeuta SCM Prestige**



## F4

System composed of 4 directional castors with central brake allows you very easy and fast relocation of Prestige Table with or without a patient.



Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours

Release handle for gas spring system in leg section

F4 lifting system

Non-slip foot with 1 cm height adjustment

# Years of experience

..., our individual research and passion for innovations led to creation of a stable, **reliable and extremely functional table line** for physiotherapy and massage.

You can now enjoy the **high quality and high functionality of Terapeuta Prestige Table Line**. Just choose one of Prestige Tables which will suit your needs and the needs of your patients. We care about your opinion so if you think that something should be changed or added in the current Terapeuta Prestige Table Line please let us know what you think by emailing to: prestige@meden.com.pl

## Unique features of Prestige Tables:

### 1. High quality upholstery!

In order to guarantee comfort of patients and high functionality for users each upholstery has a **two-layer padding** with specially selected density of foams. After years of checking various upholstery samples, one of our experts finally found an ultra-proof upholstery which is:

- Non-flammable
- Bio-compatible
- Scratchproof

The unique features of upholstery together with high durability of the powder paint used for covering the metal elements will allow you to enjoy your Terapeuta Prestige Table for many years.

There is also possibility to buy couches with extremly durable upholstery made with 100% Polyurethane (Premium Upholstery).



*High quality finish*

### 2. We care about your working comfort!

That's why we invented the unique HalloTronic® System that enables high/low height adjustment via hallotrons without the use of mechanical switches. Thanks to HalloTronic® System you can choose the right height of your Prestige Table without effort and noise. This solution assures the comfort of patient and comfort of work. HalloTronic® System allows you to adjust height of your table with help of a foot bar from each side of your Prestige Table with just a slight movement of your foot. Enjoy the benefits of your new Prestige Table and unique features of HalloTronic® System:

- High/low height adjustment via electronically controlled actuator
- No noise during lifting
- Long life span
- Reliability
- Operated with minimal force by foot
- High/low height adjustment via shifting of bar, easily accessible from each side of Prestige Table

Prestige Tables ensure smooth high/low height adjustment with a powerful electric motor of 6000 N with capacity up to 225 kg.



## 3. Wheeling systems tailored to your needs!

You can choose between F0 and F4 wheeling system. F0 system composed of 2 legs and 2 small wheels allows for moving of Prestige Table by lifting it from one side. The system is recommended for users who relocate their Prestige Table less frequently. F4 system composed of 4 directional castors with central brake allows you for a very easy and fast relocation of Prestige Table with or without a patient.

## 4. Easy adjustment as you wish!

Enjoy the **easy adjustment of Prestige Table's sections** with the help of gas springs. Ergonomically located and designed release handles **allow you to adjust sections of your Prestige Table the way you need** practically without any effort and with one hand. Choose postural drainage (pivot) option to allow for easy positioning of the patient in order to perform better. You are able to adjust the postural drainage via an electronically controlled actuator by easily accessible two postural drainage control switches from both sides of your Prestige Table. Unique self-locking fold-down armrest (SmartS4Arms) for a very easy (one hand operated)adjustment.

Management System ISO 13485:2016
TÜVRheinland CERTIFIED
www.tuv.com ID 0000073249





## 5. Guarantee your practice the ultimate safety!

All Prestige Tables have an integrated electronic control unit allowing for height adjustment and adjustment of the postural drainage option with an indication of stand-by mode (green light) and **Personal Authorization Safety System** (PASS). Each Prestige Table is equipped with two magnetic safety keys (PASS Keys) in order to prevent unauthorized use of a table which may lead to severe accidents and compensation claims. What is more, all Prestige Tables have a **special safety system** that prevents table from folding down in case of power shortage or actuator damage.
Tables are manufactured in conformity with the certified quality management system: ISO 13485:2016.



## 6. The devil is in the details!

All details of Prestige Tables are designed to help you in your practice, with their functionality, durability and great design. You can take adventage of **semi-automatic blocking/release system for fold-down side sections, comfortable armrests and ergonomic table top** allowing for an easy access to the patient. **Non-slip feet** increase the stability. The patients can feel comfort of the **anatomical design of the face hole**. We covered screws and other protruding elements with unobtrusive plastic covers.

## 7. We care about the production process!

All frames are welded automatically by high quality robotic system, which makes Prestige Tables **very stable and resistant over years**. Metal parts are being covered using the most advanced technological processes in a modern powder painting line. This means that you will enjoy the high quality of your Prestige Table for years and the maintenance (e.g. cleaning) will be a pleasure.

# Terapeuta SCM-2
# **Prestige M-S2.F0/M-S2.F4**

Massage table





Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **202 cm**

Height: **47-95 cm**

Width: **69 cm**

Weight: **80/95 kg**

Max load: **225 kg**


## Features:

- 2-section table for massage, manual therapy, physiotherapy.
- Adjustable head section from -70° to +40° with a gas spring.
- Face hole in the head section with 2 removable face hole covers (round, crescent).
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, extremely stable steel frame.
- 2 side brackets for fixation of stabilization belts and elastic bands.
- Traction support sleeves.
- Personal Authorization Safety System with 2 safety magnetic keys.
- HalloTronic® System for electric high/low height adjustment from 47 to 95 cm with a capacity up to 225 kg.
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table.
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- Two ways of frame painting: ,,white" or ,,twintone".

## Additional option:

- Built-in adjustable surface heating system.
- Upholstery of 80 mm thickness.
- Upholstery of 80 cm width.

## Table articulations:




## Ordering information:

**M-S2.F0:** 2-section massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**M-S2.F4:** 2-section massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# Terapeuta SCM-3
# **Prestige M-S3.F0/M-S3.F4**

Massage table





Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **202 cm**

Height: **47-95 cm**

Width: **69 cm**

Weight: **85/100 kg**

Max load: **225 kg**


## Features:

- 3-section table for massage, manual therapy, physiotherapy.
- Adjustable head section from -70° to +40° with a gas spring.
- Face hole in the head section with 2 removable face hole covers (round, crescent).
- Adjustable leg section from -10° to 80° with 2 gas springs.
- Release handle of the gas spring system in the leg section accessible from both sides of the table.
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, extremely stable steel frame.
- Traction support sleeves.
- Personal Authorization Safety System with 2 safety magnetic keys.
- HalloTronic® System for electric high/low height adjustment from 47 to 95 cm with a capacity up to 225 kg.
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table.
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- Two ways of frame painting: „white" or „twintone".

## Additional option:

- Built-in adjustable surface heating system.
- Upholstery of 80 mm thickness.
- Upholstery of 80 cm width.

## Table articulations:




## Ordering information:

**M-S3.F0:** 3-section massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**M-S3.F4:** 3-section massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# Terapeuta SCM-3
# **Prestige M-P3.F0/M-P3.F4**

Massage table







**2 ways of frame painting**

Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **205 cm**

Height: **51-99 cm**

Width: **69 cm**

Weight: **95/110 kg**

Max load: **225 kg**


## Features:

- 3-section table for massage, manual therapy, physiotherapy.
- Postural drainage with an electric motor operated by 2 switches from both sides of the table.
- Adjustable head section from -70° to +40° with a gas spring.
- Face hole in the head section with 2 removable face hole covers (round, crescent).
- Adjustable leg section from -10° to 80° with a gas spring.
- Release handle of the gas spring system in the leg section accessible from both sides of the table.
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, extremely stable steel frame.
- Traction support sleeves.
- Personal Authorization Safety System with 2 magnetic safety keys.
- HalloTronic® System for electric high/low height adjustment from 51 to 99 cm with a capacity up to 225 kg.
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table.
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- Two ways of frame painting: „white" or „twintone".

## Additional option:

- Built-in adjustable surface heating system.
- Upholstery of 80 mm thickness.
- Upholstery of 80 cm width.

## Table articulations:




## Ordering information:

**M-P3.F0:** 3-section massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**M-P3.F4:** 3-section massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# Terapeuta SCM-4
# **Prestige M-S4.F0/M-S4.F4**

Massage table







**2 ways of frame painting**

Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **202 cm**

Height: **47-95 cm**

Width: **69 cm**

Weight: **87/102 kg**

Max load: **225 kg**


## Features:

- 4-section table for massage, manual therapy, physiotherapy.
- Adjustable head section from -70° to +40° with a gas spring.
- Face hole in the head section with 2 removable face hole covers (round, crescent).
- Innovative self-locking fold-down armrests in head section (one hand operated) - SmartS4Arms (Smart Slide For Arms).
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, extremely stable steel frame.
- 2 side brackets for the fixation of stabilization belts and elastic bands.
- Traction support sleeves.
- Personal Authorization Safety System with 2 magnetic safety keys.
- HalloTronic® System for electric high/low height adjustment from 47 to 95 cm with a capacity up to 225 kg.
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table.
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- Two ways of frame painting: „white'' or „twintone''.

## Additional option:

- Built-in adjustable surface heating system.
- Upholstery of 80 mm thickness.
- Upholstery of 80 cm width.

## Table articulations:




## Ordering information:

**M-S4.F0:** 4-section massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**M-S4.F4:** 4-section massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# Terapeuta SCM-5
# **Prestige M-S5.F0/M-S5.F4**

Massage table







**2 ways of frame painting**

Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **205 cm**

Height: **47-95 cm**

Width: **69 cm**

Weight: **92/107 kg**

Max load: **225 kg**


## Features:

- 5-section table for massage, manual therapy, physiotherapy.
- Adjustable head section from -70° to +40° with a gas spring.
- Face hole in the head section with 2 removable face hole covers (round, crescent).
- Innovative self-locking fold-down armrests in head section (one hand operated) - SmartS4Arms (Smart Slide For Arms).
- Adjustable leg section from -10° to 80° with 2 gas springs.
- Release handle of the gas spring system in the leg section accessible from both sides of the table.
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, extremely stable steel frame.
- Personal Authorization Safety System with 2 magnetic safety keys.
- HalloTronic® System for electric high/low height adjustment from 47 to 95 cm with a capacity up to 225 kg.
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table.
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- Two ways of frame painting: „white" or „twintone".

## Additional option:

- Built-in adjustable surface heating system.
- Upholstery of 80 mm thickness.
- Upholstery of 80 cm width.

## Table articulations:




## Ordering information:


**M-S5.F0:** 5-section massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**M-S5.F4:** 5-section massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# Terapeuta SCM-5
# **Prestige M-P5.F0/M-P5.F4**

Massage table





**2 ways of frame painting**

Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **205 cm**

Height: **51-99 cm**

Width: **69 cm**

Weight: **102/117 kg**

Max load: **225 kg**


## Features:

- 5-section table for massage, manual therapy, physiotherapy.
- Postural drainage with an electric motor operated by 2 switches from both sides of the table.
- Adjustable head section from -70° to +40° with a gas spring.
- Face hole in the head section with 2 removable face hole covers (round, crescent).
- Innovative self-locking fold-down armrests in head section (one hand operated) - SmartS4Arms (Smart Slide For Arms).
- Adjustable leg section from -10° to 80° with a gas spring.
- Release handle of the gas spring system in the leg section accessible from both sides of the table.
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, extremely stable steel frame.
- Personal Authorization Safety System with 2 magnetic safety keys.
- HalloTronic® System for electric high/low height adjustment from 51 to 99 cm with a capacity up to 225 kg.
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table.
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- Two ways of frame painting: „white" or „twintone".

## Additional option:

- Built-in adjustable surface heating system.
- Upholstery of 80 mm thickness.
- Upholstery of 80 cm width.

## Table articulations:




## Ordering information:

**M-P5.F0:** 5-section massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**M-P5.F4:** 5-section massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# Terapeuta SCM-7
# **Prestige M-S7.F0/M-S7.F4**

Massage table







**2 ways of frame painting**

Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **205 cm**

Height: **47-95 cm**

Width: **69 cm**

Weight: **95/110 kg**

Max load: **225 kg**


## Features:

- 7-section table for massage, manual therapy, physiotherapy.
- Adjustable head section from -70° to +40° with a gas spring.
- Face hole in the head section with 2 removable face hole covers (round, crescent).
- Fold-down side sections in the middle section with a semi-automatic blocking/release system.
- Innovative self-locking fold-down armrests in head section (one hand operated) - SmartS4Arms (Smart Slide For Arms).
- Adjustable leg section from -10° to 80° with a gas spring.
- Release handle of the gas spring system in the leg section accessible from both sides of the table.
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, extremely stable steel frame.
- Traction support sleeves.
- Personal Authorization Safety System with 2 magnetic safety keys.
- HalloTronic® System for electric high/low height adjustment from 47 to 95 cm with a capacity up to 225 kg.
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table.
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- Two ways of frame painting: „white" or „twintone".

## Additional option:

- Built-in adjustable surface heating system.
- Upholstery of 80 mm thickness.
- Upholstery of 80 cm width.

## Table articulations:




## Ordering information:

**M-S7.F0:** 7-section massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**M-S7.F4:** 7-section massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# Terapeuta SCM-7
# **Prestige M-P7.F0/M-P7.F4**

Massage table







**2 ways of frame painting**

Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **205 cm**

Height: **51-99 cm**

Width: **69 cm**

Weight: **105/120 kg**

Max load: **225 kg**


## Features:

- 7-section table for massage, manual therapy, physiotherapy.
- Postural drainage with an electric motor operated by 2 switches from both sides of the table.
- Adjustable head section from -70° to +40° with a gas spring.
- Face hole in the head section with 2 removable face hole covers (round, crescent).
- Innovative self-locking fold-down armrests in head section (one hand operated) - SmartS4Arms (Smart Slide For Arms).
- Adjustable leg section from -10° to 80° with a gas spring.
- Fold-down side sections in the middle section with a semi-automatic blocking/release system.
- Release handle of the gas spring system in the leg section accessible from both sides of the table.
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery.
- Powder coated, extremely stable steel frame.
- Traction support sleeves.
- Personal Authorization Safety System with 2 magnetic safety keys.
- HalloTronic® System for electric high/low height adjustment from 51 to 99 cm with a capacity up to 225 kg.
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table.
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- Two ways of frame painting: „white'' or „twintone''.

## Additional option:

- Built-in adjustable surface heating system.
- Upholstery of 80 mm thickness.
- Upholstery of 80 cm width.

## Table articulations:




## Ordering information:

**M-P7.F0:** 7-section massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**M-P7.F4:** 7-section massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# Terapeuta SCM-2
# **Prestige E-S2.F0/E-S2.F4**

Massage table







**2 ways of frame painting**

Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **205 cm**

Height: **47-95 cm**

Width: **69 cm**

Weight: **80/95 kg**

Max load: **225 kg**


## Features:

- 2-section massage and treatment table with a long head section.
- Adjustable long head section from 0° to +85° with 2 gas springs.
- Face hole in the head section with a removable face hole cover.
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, extremely stable steel frame.
- Optional 2 side brackets for the fixation of stabilization belts and elastic bands or 2 retractable side railings for fall prevention.
- Personal Authorization Safety System with 2 safety magnetic keys.
- HalloTronic® System for electric high/low height adjustment from 47 to 95 cm with a capacity up to 225 kg
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table.
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- Two ways of frame painting: ,,white'' or ,,twintone''.

## Additional option:

- Built-in adjustable surface heating system.
- Upholstery of 80 mm thickness.
- Upholstery of 80 cm width.

## Table articulations:




## Ordering information:

**E-S2.F0:** 2-section massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**E-S2.F4:** 2-section massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# Terapeuta SCM-5
# **Prestige O-S5.F0/O-S5.F4**

Massage table







**2 ways of frame painting**

Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **205 cm**

Height: **47-95 cm**

Width: **59 cm**

Weight: **92/107 kg**

Max load: **225 kg**


## Features:

- 5-section table for manual therapy.
- Narrow (31 cm), adjustable head section from -70° to +40° with gas spring.
- Face hole in the head section with a removable face hole cover.
- Fold-down side sections allowing broadening of middle section if necessary.
- Adjustable leg section from -10° to +80° with 2 gas springs.
- Release handle of the gas spring system in the leg section accessible from both sides of the table.
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, extremely stable steel frame.
- Traction support sleeves.
- Personal Authorization Safety System with 2 magnetic safety keys.
- HalloTronic® System for electric high/low height adjustment from 47 to 95 cm with a capacity up to 225 kg.
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table.
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- Ergonomic design.
- Two ways of frame painting: „white" or „twintone".

## Additional option:

- Built-in adjustable surface heating system.
- Upholstery of 80 mm thickness.

## Table articulations:




## Ordering information:

**O-S5.F0:** 5-section massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**O-S5.F4:** 5-section massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# Terapeuta SCM-5
# **Prestige O-P5.F0/0-P5.F4**

Massage table







**2 ways of frame painting**

Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **205 cm**

Height: **51-99 cm**

Width: **59 cm**


Weight: **102/117 kg**

Max load: **225 kg**

## Features:

- 5-section table for manual therapy.
- Postural drainage with electric motor operated by 2 switches from both sides of the table.
- Narrow (31 cm), adjustable head section from -70° to +40° with gas spring.
- Face hole in the head section with a removable face hole cover.
- Fold-down side sections allowing for the broadening of middle section if necessary.
- Adjustable leg section from -10° to +80° with 2 gas springs.
- Release handle of the gas spring system in the leg section accessible from both sides of the table.
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, extremely stable steel frame.
- Traction support sleeves.
- Personal Authorization Safety System with 2 magnetic safety keys.
- HalloTronic® System for electric high/low height adjustment from 51 to 99 cm with a capacity up to 225 kg.
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table.
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- Ergonomic design.
- Two ways of frame painting: „white" or „twintone".

## Table articulations:




## Additional option:

- Built-in adjustable surface heating system.
- Upholstery of 80 mm thickness.

## Ordering information:

**O-P5.F0:** 5-section table for osteopathy and manual therapy with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**O-P5.F4:** 5-section table for osteopathy and manual therapy with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.


# Terapeuta Prestige Line








| Technical data: | M-S2 | M-S3 | M-P3 | M-S4 | M-S5 | M-P5 | M-S7 | M-P7 | E-S2 | O-S5 | O-P5 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Dimensions (length x width)** [cm]: | 202 x 69 | 205 x 69 | 205 x 69 | 202 x 69 | 205 x 69 | 205 x 69 | 205 x 69 | 205 x 69 | 205 x 69 | 205 x 59 | 205 x 59 |
| **Number of sections:** | 2 | 3 | 3 | 4 | 5 | 5 | 7 | 7 | 2 | 5 | 5 |
| **Head-rest inclination angle** [°]: | -70/+40 | -70/+40 | -70/+40 | -70/+40 | -70/+40 | -70/+40 | -70/+40 | -70/+40 | 0/+85 | -70/+40 | -70/+40 |
| **Middle section inclination angle** [°]: | - | - | 0/+24 | -- | - | 0/+24 | - | 0/+24 | - | - | 0/+24 |
| **Foot-rest inclination angle** [°]: | - | -10/+80 | -10/+80 | - | -10/+80 | -10/+80 | -10/+80 | -10/+80 | - | -10/+80 | -10/+80 |
| **Height adjustment** [cm]: | 47-95 | 47-95 | 51-99 | 47-95 | 47-95 | 51-99 | 47-95 | 51-99 | 47-95 | 47-95 | 51-99 |
| **Weight F0/F4** [kg]: | 80/95 | 85/100 | 95/110 | 87/102 | 92/107 | 102/117 | 95/110 | 105/120 | 80/95 | 92/107 | 102/117 |
| **Max. lifting capacity** [kg]: | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 |
| **Power supply** [V/Hz]: | 230/50 | 230/50 | 230/50 | 230/50 | 230/50 | 230/50 | 230/50 | 230/50 | 230/50 | 230/50 | 230/50 |
| **Max. working load** [kg]: | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 |



*Powerful electric motor*



*Adjustment of postural drainage*



*Breathing slot shaped to place the nose and chin*



*Personal Authorization Safety System (PASS)*



*Hallotronic® System for electric height adjusment*


## Types of base system:

### F0

F0 system composed of 2 legs with non-slip rubber feet and 2 small wheels for moving of Elemental Table by lifting it from one side. The system is recommended for users who relocate their Elemental Table less frequently.




# Massage tables
# **Elemental**




## F0 + F2

Made on two small wheels and two feet, with an attached mechanism F2 of two swivel wheels, facilitating table transport.






Electric height adjustment



Smart S4 Arms




Heigh quality finish

# Elemental Ice | Massage table

**Tables articulations:**


## ICE S2.F0:







## ICE S4.F0:






## ICE E2.F0:







# Elemental Fire | Massage table

**Tables articulations:**

## FIRE S3.F0:








## FIRE S5.F0:






## Additional accessories:


Lifter frame F2




Folding barriers



Horizontal folding barriers



Paper holder type 3



Foot controller



# Elemental Ice, Fire | Massage table





Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **202-205 cm**

Height: **48-96 cm**

Width: **69 cm**

Weight: **77-86 kg**

Max load: **180 kg**

## Features:

- 2-, 3-, 4-, 5-section massage tables.
- Adjustable head, leg section with gas springs.
- Round face hole in the head section with 2 removable face hole covers (crescent, round).
- Self-locking fold-down armrest in head section (S4, S5) - SmartS4Arms (Smart Slide For Arms).
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, extremely stable two-colour steel frame.
- 2 side brackets for the fixation of stabilization belts or remote contoller.
- Electric height adjustment: 48-96 cm via hand-operated remote controller.
- Hydraulic height adjustment: 48-96 cm via foot pedal accessible from both sides of the table.
- Lifting capacity up to 180 kg, working load up to 250 kg.
- Locking safety system on the remote controller.
- Basic wheeling system F0 composed of 2 small wheels and 2 legs with non-slip rubber feet.
- Rubber feet with 1 cm height adjustment allowing for the levelling of the table.




hydraulic versions soon in offer

## Technical data:

| | ICE S2 | ICE E-S2 | ICE S4 | FIRE S3 | FIRE S5 |
|---|---|---|---|---|---|
| **Dimensions (length x width)** [cm]: | 202 x 69 | 202 x 69 | 202 x 69 | 205 x 69 | 205 x 69 |
| **Number of sections:** | 2 | 2 | 4 | 3 | 5 |
| **Head-rest inclination angle** [°]: | -70/+40 | -20/+85 | -70/+40 | -70/+40 | -70/+40 |
| **Middle section inclination angle** [°]: | -- | -- | -- | -- | -- |
| **Foot-rest inclination angle** [°]: | -- | -- | -- | 0/+85 | 0/+85 |
| **Height adjustment** [cm]: | 48-96 | 48-96 | 48-96 | 48-96 | 48-96 |
| **Weight** [kg]: | 77 | 80 | 79 | 84 | 86 |
| **Max. lifting capacity** [kg]: | 180 | 180 | 180 | 180 | 180 |
| **Power supply** [V/Hz]: | 230/50 | 230/50 | 230/50 | 230/50 | 230/50 |
| **Max. working load** [kg]: | 250 | 250 | 250 | 250 | 250 |

# Accessories




Pillow



Traction support



Stabilization belt



Kaltenborn wedge small/large



Wedges (different sizes)



Semi-bolsters (different sizes)



Bolsters (different sizes)



Magnetic safety key



Covers for face hole

## Paper holders for:

**PRESTIGE E-S2, SAFARI E-S2**
type E



**ELEMENTAL**
type 3



**SAFARI, PRESTIGE**
type 8



**SAFARI ELEPHANT**



**NEXUS**



## Upholstery colour options:

Enjoy the high quality upholstery in the colours you like!

You can now choose non-flammable, bio-compatible and scratchproof upholstery for your tables, couches, stools as well as wedges and bolsters in colours matching the design and atmosphere of your place. Softness and high durability of the upholstery provide comfort to patients as well as therapists.

## Standard upholstery colour:

00 ecru
01 beige
02 blue
03 navy blue
04 terracotta
05 brown
06 grey
07 graphite
08 black
09 red
10 light green
11 honey
12 sea green
13 orange
14 lime
15 light blue


## Premium upholstery colour:

**6701** - WHITE
**6703** - ECRU
**6731** - MANGO
**6722** - GRASS
**6724** - JET
**6738** - WINE
**6718** - TANGELO
**6734** - QUETZAL
**6726** - ARTESIAN
**6739** - GRAPHITE
**6728** - BLACK
**6713** - CHOCOLATE


## Types of base system:

### F0

F0 system composed of 2 legs with non-slip rubber feet and 2 small wheels for moving of Safari Table by lifting it from one side. The system is recommended for users who relocate their Safari Table less frequently.




# Massage tables
# **Safari**




## F4

System composed of 4 directional castors with central brake allows you very easy and fast relocation of Safari Table with or without a patient.



2 side brackets for fixation of stabilization belts and elastic bands

Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours



F4 lifting system

Non-slip foot with 1 cm height adjustment

# Safari
# Puma S2.F0/S2.F4

Massage table





Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **202 cm**

Height: **52-93 cm**

Width: **69 cm**

Weight: **86/99 kg**

Max load: **200 kg**


## Features:

- 2-section for massage, manual therapy, physiotherapy.
- Width of table top: 69 cm.
- Adjustable head section from -70° to +40° with a gas spring.
- Round face hole in the head section with a removable face hole cover which increases patient's comfort (2 types of cover: round and crescent).
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, stable scissor steel frame.
- 2 side brackets for the fixation of stabilization belts and elastic bands
- Traction support sleeves.
- Personal Authorization Safety System with 2 magnetic safety keys.
- HalloTronic® System electric high/low height adjustment from 52 to 93 cm with a capacity up to 200 kg.
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table.
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- Two ways of frame painting: „white" or „twintone".

## Additional option:

- Built-in surface heating system of table top (Comfort option).
- Upholstery of 80 mm thickness.
- Upholstery of 80 cm width.

## Table articulations:




## Ordering information:

**S2.F0:** 2-section massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**S2.F4:** 2-section massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# Safari
# Puma S4.F0/S4.F4

Massage table





Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **202 cm**

Height: **52-93 cm**

Width: **69 cm**

Weight: **89/102 kg**

Max load: **200 kg**


## Features:

- 4-section massage, manual therapy, physiotherapy.
- Width of table top: 69 cm.
- Adjustable head section from -70° to +40° with a gas spring.
- Round face hole in the head section with a removable face hole cover which increases patient's comfort (2 types of cover: round and crescent).
- Rotating slide-down armrest in head section.
- Two-layer padding with inflammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, very stable scissor steel frame.
- 2 side brackets for the fixation of stabilization belts and elastic bands.
- Traction support sleeves.
- Personal Authorization Safety System with 2 magnetic safety keys.
- HalloTronic® System electric high/low height adjustment from 52 to 93 cm with a capacity up to 200 kg.
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table.
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- Two ways of frame painting: „white" or „twintone".

## Additional option:

- Built-in surface heating system of table top (Comfort option).
- Upholstery of 80 mm thickness.
- Upholstery of 80 cm width.

## Table articulations:




## Ordering information:

**S4.F0:** 4-section massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**S4.F4:** 4-section massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# Safari
# Puma E-S2.F0/E-S2.F4

Massage table







**2 ways of frame painting**

Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **211 cm**

Height: **52-93 cm**

Width: **69 cm**

Weight: **88/103 kg**

Max load: **200 kg**


## Features:

- 2-section table with a long head section.
- Width of table top: 69 cm.
- Adjustable long head section from -20° to +85° or 0° to +85° (with special frame) with 2 gas springs.
- Round face hole in the head section with a removable face hole cover (2 types: round and crescent).
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, extremely stable steel frame.
- 2 side brackets for the fixation of stabilization belts and elastic bands.
- Personal Authorization Safety System with 2 safety magnetic keys.
- HalloTronic® System for electric high/low height adjustment from 52 to 93 cm with a capacity up to 200 kg.
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table.
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- Two ways of frame painting: „white" or „twintone".

## Additional option:

- Upholstery of 80 mm thickness.
- Upholstery of 80 cm width.
- Built-in adjustable heating system.

## Table articulations:




## Ordering information:


**E-S2.F0:** 2-section massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**E-S2.F4:** 2-section massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# Safari
# Leopard S3.F0/S3.F4

Massage table







**2 ways of frame painting**

Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **205 cm**

Height: **52-93 cm**

Width: **69 cm**

Weight: **93/106 kg**

Max load: **200 kg**


## Features:

- 3-section table for massage, manual therapy, physiotherapy.
- Width of table top: 69 cm.
- Adjustable head section from -70° to +40° with a gas spring.
- Round face hole in the head section with a removable face hole cover which increases patient's comfort (2 types of cover: round and crescent).
- Adjustable leg section from 0° to 90° with a gas spring.
- Two-layer padding with non-flammable, bio-compatible and scratchproof, upholstery in many colours.
- Powder coated, very stable scissor steel frame.
- 2 side brackets for the fixation of stabilization belts and elastic bands.
- Traction support sleeves.
- Personal Authorization Safety System with 2 magnetic safety keys.
- HalloTronic® System electric high/low height adjustment from 52 to 93 cm with a capacity up to 200 kg.
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table.
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- Two ways of frame painting: „white" or „twintone".

## Additional option:

- Built-in surface heating system of table top (Comfort option).
- Upholstery of 80 mm thickness.
- Upholstery of 80 cm width.

## Table articulations:




## Ordering information:


**S3.F0:** 3-section massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**S3.F4:** 3-section massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# Safari
# Leopard S5.F0/S5.F4

Massage table







**2 ways of frame painting**

Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **205 cm**

Height: **52-93 cm**

Width: **69 cm**

Weight: **96/109 kg**

Max load: **200 kg**


## Features:

- 5-section table for massage, manual therapy, physiotherapy.
- Width of table top: 69 cm.
- Adjustable head section from -70° to +40° with a gas spring.
- Round face hole in the head section with a removable face hole cover which increases patient's comfort (2 types of cover: round and crescent).
- Rotating slide-down armrests.
- Adjustable leg section from 0° to 90° with a gas spring.
- Two-layer padding with non-flammable, bio-compatible and scratchproof, upholstery in many colours.
- Powder coated, very stable scissor steel frame.
- 2 side brackets for the fixation of stabilization belts and elastic bands.
- Traction support sleeves.
- Personal Authorization Safety System with 2 magnetic safety keys.
- HalloTronic® System electric high/low height adjustment from 52 to 93 cm with a capacity up to 200 kg.
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table.
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- Two ways of frame painting: ,,white" or ,,twintone".

## Additional option:

- Built-in surface heating system of table top (Comfort option).
- Upholstery of 80 mm thickness.
- Upholstery of 80 cm width.

## Table articulations:




## Ordering information:


**S5.F0:** 5-section massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**S5.F4:** 5-section massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# Safari
# Jaguar P3.F0/P3.F4

Massage table







**2 ways of frame painting**

Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **205 cm**

Height: **54-95 cm**

Width: **69 cm**


Weight: **99/112 kg**


Max load: **200 kg**

## Features:

- 3-section table with postural drainage setting for massage, manual therapy, physiotherapy.
- Postural drainage with an electric motor operated by 2 switches from both sides of the table.
- Width of table top: 69 cm.
- Adjustable head section from -70° to +40° with a gas spring.
- Round face hole in the head section with a removable face hole cover which increases patient's comfort (2 types of cover: round and crescent).
- Adjustable leg section from 0° to 90° with gas spring.
- Two-layer padding with non-flammable, bio-compatible and scratchproof, upholstery in many colours.
- Powder coated, very stable scissor steel frame.
- 2 side brackets for the fixation of stabilization belts and elastic bands.
- Traction support sleeves.
- Personal Authorization Safety System with 2 magnetic safety keys.
- HalloTronic® System electric high/low height adjustment from 54 to 95 cm with a capacity up to 200 kg.
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table.
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- Two ways of frame painting: „white" or „twintone".

## Table articulations:




## Additional option:

- Built-in surface heating system of table top (Comfort option).
- Upholstery of 80 mm thickness.
- Upholstery of 80 cm width.

## Ordering information:


**P3.F0:** 3-section massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**P3.F4:** 3-section massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# Safari
# Jaguar P5.F0/P5.F4

Massage table







**2 ways of frame painting**

Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **205 cm**

Height: **54-95 cm**

Width: **69 cm**

Weight: **102/115 kg**

Max load: **200 kg**


## Features:

- 5-section table with the postural drainage setting for massage, manual therapy, physiotherapy.
- Postural drainage with an electric motor operated by 2 switches from both sides of the table.
- Width of table top: 69 cm.
- Adjustable head section from -70° to +40° with a gas spring.
- Round face hole in the head section with a removable face hole cover which increases patient's comfort (2 types of cover: round and crescent).
- Rotating slide-down armrests.
- Adjustable leg section from 0° to 90° with a gas spring.
- Two-layer padding with non-flammable, bio-compatible and scratchproof, upholstery in many colours.
- Powder coated, very stable scissor steel frame.
- 2 side brackets for the fixation of stabilization belts and elastic bands.
- Traction support sleeves.
- Personal Authorization Safety System with 2 safety magnetic keys.
- HalloTronic® System electric high/low height adjustment from 54 to 95 cm with a capacity up to 200 kg.
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table.
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- Two ways of frame painting: „white" or „twintone".

## Additional option:

- Built-in surface heating system of table top (Comfort option).
- Upholstery of 80 mm thickness.
- Upholstery of 80 cm width.

## Table articulations:




## Ordering information:

**P5.F0:** 5-section massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**P5.F4:** 5-section massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# **Safari** Line



| Technical data: | Puma S2 | Puma E-S2 - | Puma S4 | Leopard S3 | Leopard S5 | Jaguar P3 | Jaguar P5 |
|---|---|---|---|---|---|---|---|
| **Dimensions (length x width)** [cm]: | 202 x 69 | 211 x 69 | 202 x 69 | 205 x 69 | 205 x 69 | 205 x 69 | 205 x 69 |
| **Number of sections:** | 2 | 2 | 4 | 3 | 5 | 3 | 5 |
| **Head-rest inclination angle** [°]: | -70/+40 | -20/+85 | -70/+40 | -70/+40 | -70/+40 | -70/+40 | -70/+40 |
| **Middle section inclination angle** [°]: | - | - | - | - | -- | 0/+24 | 0/+24 |
| **Foot-rest inclination angle** [°]: | - | - | - | 0/+90 | 0/+90 | 0/+90 | 0/+90 |
| **Height adjustment** [cm]: | 52-93 | 52-93 | 52-93 | 52-93 | 52-93 | 54-95 | 54-95 |
| **Weight F0/F4** [kg]: | 86/99 | 88/103 | 89/102 | 93/106 | 96/109 | 99/112 | 102/115 |
| **Max. lifting capacity** [kg]: | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| **Power supply** [V/Hz]: | 230/50 | 230/50 | 230/50 | 230/50 | 230/50 | 230/50 | 230/50 |
| **Max. working load** [kg]: | 275 | 275 | 275 | 275 | 275 | 275 | 275 |



*Adjustment of head rest*



*Adjustment of postural drainage*



*2 types of breathing slot cover: round and crescent*



*Built-in surface heating system of table top (Comfort option)*





*Personal Authorization Safety System (PASS)*

# Safari
# Puma/Leopard/Jaguar

Massage table
**Hydraulic**







**2 ways of frame painting**

Box dimensions: **220 x 85 x 80 cm** Weight: **+50 kg**

Length: **202/211 cm**

Height: **52-99cm/ 54-101 cm**

Width: **69 cm**


Weight: **92-121 kg**

Max load: **200 kg**


## Features:

- 2-, 3-, 4-, 5-section table with a powerful hydraulic actuator for massage, manual therapy, physiotherapy.
- Postural drainage by the means of 2 levers accessible from 2 sides of table top (P3, P5 version).
- Rotating armrests in head section (S4, S5, P5 versions).
- Width of table top: 69 cm.
- Adjustable head section from -70° to +40° with a gas spring.
- Round face hole in the head section with a removable face hole cover which increases patient's comfort (2 types of cover: round and crescent).
- Adjustable leg section from 0° to 90° with a gas spring.
- Two-layer padding with non-flammable, bio-compatible and scratchproof, upholstery in many colours.
- Powder coated, very stable scissor steel frame.
- 2 side brackets for the fixation of stabilization belts and elastic bands.
- Traction support sleeves.
- Hydraulic high/low height adjustment with a capacity up to 200 kg.
- High/low height adjustment with foot pedal accessible from both sides of the table.
- Two ways of frame painting: ,,white" or ,,twintone".

## Frame F0-H:



## Frame F4-H:



## Additional option:

- Upholstery of 80 mm thickness.
- Upholstery of 80 cm width.

## Technical data:

| | Puma S2 | Puma E-S2 | Puma S4 | Leopard S3 | Leopard S5 | Jaguar P3 | Jaguar P5 |
|---|---|---|---|---|---|---|---|
| Dimensions (length x width) [cm]: | 202 x 69 | 211 x 69 | 202 x 69 | 205 x 69 | 205 x 69 | 205 x 69 | 205 x 69 |
| Number of sections: | 2 | 2 | 4 | 3 | 5 | 3 | 5 |
| Head-rest inclination angle [°]: | -70/+40 | -20/+85 | -70/+40 | -70/+40 | -70/+40 | -70/+40 | -70/+40 |
| Middle section inclination angle [°]: | - | - | - | - | - | 0/+24 | 0/+24 |
| Foot-rest inclination angle [°]: | - | - | - | 0/+90 | 0/+90 | 0/+90 | 0/+90 |
| Height adjustment [cm]: | 52-99 | 52-99 | 52-99 | 52-99 | 52-99 | 54-101 | 54-101 |
| Weight F0/F4 [kg]: | 92/105 | 96/109 | 95/108 | 99/112 | 102/115 | 105/118 | 108/121 |
| Max. lifting capacity [kg]: | 200 | 200 | 200 | 200 | 200 | 200 | 200 |

## Ordering information:

| Puma S2 | Puma E-S2 | Puma S4 | Leopard S3 | Leopard S5 | Jaguar P3 | Jaguar P5 |
|---|---|---|---|---|---|---|
| **S2.F0-H** | **E-S2.F0-H** | **S4.F0-H** | **S3.F0-H** | **S5.F0-H** | **P3.F0-H** | **P5.F0-H** |
| **S2.F4-H** | **E-S2.F4-H** | **S4.F4-H** | **S3.F4-H** | **S5.F4-H** | **P3.F4-H** | **P5.F4-H** |

# WaveMotion Ellipse | Massage table







Box dimensions: **220 x 95 x 95 cm** Weight: **+50 kg**

The **WaveMOTION Ellipse** - gentle swing and rotation 360° in space.
This massage table is designed for performing manual massage treatments to treat and alleviate traumas or disabilities by restoring or improving the function of massaged tissues, organs, and systems. It enables the patient to take the correct position for massage treatment and to adjust height and/or position of the table sections.
Manual massage treatments using this table has a positive efect on i.a.:

- muscular tension disorders,
- spinal disc disorder,
- chronic back, low back, neck pain,
- cystic fibrosis,
- pain in the quadriceps fatigue,
- tension-type headache,
- osteoarthritis of the hip joints.




## Features:

- Versions depended on the therapist needs: 2 - or 4 - sections, upholstery padding of 4 or 8 cm thickness, width 75 cm or 80 cm (option).
- Easily adjustable sections: head section - via gas spring, arm rests – via rotating mechanism.
- Table top movement (360° rotation on a floating suspension and can be tilt both axes).
- Patient comfort: round face hole with a matching cushion.
- Two-layer padding (specially selected density of foams), non-flammable/ bio-compatible/scatchproof standard upholstery/premium upholstery (option) from PU: 6 times more durable than standard/many colors to choose/possibility of usage of oils (premium upholstery).
- Safety: stable steel frame, Personal Authorization Safety System (option).

## Technical data:

| | S2 | S4 |
|---|---|---|
| Dimensions (L x W) [cm]: | 202 x 75 | 202 x 75 |
| Section number: | 2 | 4 |
| Fold-down armrests: | - | + |
| Head section adjustment: | + | + |
| Height adjustment [cm]: | 65-105 | 65-105 |
| Max. weight [kg]: | 145 | 145 |
| Max. load [kg]: | 150 | 150 |
| Power supply [V/Hz]: | 230/50 | 230/50 |

## Models available:

- **S2:** 2-section with adjustable head section,
- **S4:** 4-section with adjustable head section and fold-down armrests.

**S2, S4 models:** the 40°/90° headrest allows for an ergonomic positioning in the prone position, but the head of patient/client can be gently supported in the supine position. The adjustment range of the headrest is from 40° positive to 90° negative. The headrest has a round face cradle with a matching cushion.

## Additional options:

- Upholstery resistant to oils (Premium Upholstery).
- Built-in surface heating system of table top (Comfort option).
- Upholstery of 80 cm width.
- F2 lift (2 fixed wheels + 2 castors central lifted).

# Nexus S2/S4/S2-H/S4-H | Massage table

Electric height adjustment



Hydraulic height adjustment



Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **202 cm**

Height: **48-105 cm**

Width: **70 cm**


Weight: **85 kg**

Max load: **185 kg**

Massage table **Nexus** is a designed for performing manual, massage treatments to treat and alleviate traumas or disabilities by restoring or improving the function of massaged tissues.
Using the latest technology, **Nexus** has matchless and eye-catching design and finish. Each of the components of the table is made with maximum precision and reliability.
With newest manufacturing technology and the most stringent production standards a stable, robust product was created, unrivalled in its price category.

## Features:

- 2- or 4-section massage table.
- Electric height adjustment with a hand bar accessible from 3 sides of the table or hydraulic height adjustment with a lever.
- Head section adjustment with a gas spring.
- Innovative self-locking fold-down arm-rest (Smart4Arms) in 4-section table.
- Stable scissor base.
- Durable construction with maximum load up to 185 kg.
- Equipped with access authorization system to protect against unwanted table settings change (only in electric version).
- Mobile - 2 wheels.
- Upholstery is made of durable, waterproof materials.
- Wide range of upholstery colours.
- Available in electric or hydraulic version.




## Additional option:

- Built-in surface heating system of table top (Comfort option - available only in electric version).

## Technical data:

| | |
|---|---|
| Number of sections: | 2/4 |
| Front section angle adjustment [°]: | +40/-70 |
| Height adjustment (e/h) [cm]: | 48-105/49-103 |
| Dimensions (L x W) [cm]: | 205 x 70 |
| Weight [kg]: | 85 |
| Maximum load [kg]: | 185 |
| Power supply [V/Hz] (only electric version): | 230/50 |



Comfort (option)



Paper holder (additional accessory)

# Safari **Elephant B-S1.F0/ B-S1.F4/B-S1.F0-H/B-S1.F4-H**

Neurological rehabilitation table



**Electric height adjustment**



**Hydraulic height adjustment**

Box dimensions: **220 x 136 x 75 cm** Weight: **+90 kg**

Length: **200 cm**

Height: **50-99 cm**

Width: **120 cm**


Weight: **126/140 kg**

Max load: **200 kg**

## Features:

- 1-section table (electric or hydraulic).
- Extra wide surface.
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, extremely wide and stable steel frame.
- Personal Authorization Safety System with 2 magnetic safety keys (only in el. version).
- HalloTronic® System for electric high/low height adjustment from 50 to 99 cm (el. version).
- Hydraulic high/low height adjustment (50-99 cm) via foot pedal accessible from both sides of the table (hydr. version).
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table (el. version).
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- F4 wheeling system - dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.
- Max. lifting capacity up to 200 kg.
- Two ways of frame painting: „white" or „twintone".

## Table articulations:




## Additional option:

- Face hole.
- Built-in surface heating system of table top.
  - Comfort option (only in el. version).
- Upholstery of 80 mm thickness.

## Ordering information:

**B-S1.F0/B-S1.F0-H:** 1-section electric/hydraulic massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**B-S1.F4/ B-S1.F4-H:** 1-section electric/hydraulic massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# Safari **Elephant B-S2.F0/ B-S2.F4/B-S2.F0-H/B-S2.F4-H**

Neurological rehabilitation table



**Electric height adjustment**



**Hydraulic height adjustment**

Box dimensions: **220 x 136 x 75 cm** Weight: **+90 kg**

Length: **203 cm**

Height: **50-99 cm**

Width: **120 cm**

Weight: **131/145 kg**

Max load: **200 kg**


## Features:

- 2-section table (electric or hydraulic).
- Extra wide surface.
- Adjustable head section from 0° to +85° via 2 gas springs.
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, extremely wide and stable steel frame.
- Personal Authorization Safety System with 2 magnetic safety keys (only in el. version).
- HalloTronic® System for electric high/low height adjustment from 50 to 99 cm (electric version).
- Hydraulic high/low height adjustment (50-99 cm) via foot pedal accessible from both sides of the table (hydraulic version).
- Powder coated steel high/low height adjustment foot bar accessible from each side of the table (electric version).
- Non-slip rubber feet with 1 cm height adjustment allowing for the levelling of the table.
- F4 wheeling system - dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.
- Max. lifting capacity up to 200 kg.
- Two ways of frame painting: „white" or „twintone".

## Additional option:

- Face hole.
- Built-in surface heating system of table top - Comfort option (only in el. version).
- Upholstery of 80 mm thickness.

## Table articulations:




## Ordering information:

**B-S2.F0/B-S2.F0-H:** 2-section electric/hydraulic massage and treatment table with basic wheeling system composed of 2 small wheels and 2 legs with non-slip rubber feet.

**B-S2.F4/B-S2.F4-H:** 2-section electric/hydraulic massage and treatment table with dual-lever retractable castor wheeling system composed of 4 directional castors with central brake and 4 legs with non-slip rubber feet.

# Chirospace | Chiropractic table





Box dimensions: **220 x 68 x 75 cm** Weight: **+25 kg**

Length: **185-210 cm** Height: **55-96 cm** Width: **51 cm** Weight: **135 kg** Max load: **180 kg**

7-section table for chiropractic, is a multifunctional equipment for every therapist. Thanks to the ergonomic construction of the table top, with the possibility of lateral and vertical rotation of the foot section, the physiotherapist can adjust the initial correction of the patient's spine, work on soft tissues, and perform any manual procedures.







## Features:

- 7-section table.
- Head section divided into 2 parts (adjustable gap: 2-6 cm).
- 2 possibilities of head section adjustment: from -35° to +25° with a gas spring and additional adjustment from 0° to +18° (in oposite direction) via second gas spring.
- Rotating slide down armrests (adjustment range: up to -24 cm vertical).
- 2 possibilities of hip/leg section adjustment: from 0° to -30° and side rotation from -9° to 9°.
- Electric high/low height adjustment via foot-operated controller at two sides of the table base.
- 3-layer padding 40 mm, with non-flammable, bio-compatible and scratchproof.
- Upholstery in many colours.
- Shift of shank support: 0-19 cm.
- Settings lock: rotation and shift.
- DROP option.
- Mechanism of dynamic force compensation - to minimize the patient's body weight resting on the hip/leg section of the table via an offload and stearing mechanism.
- 2 fixed wheels + 2 castors central lifted (F2 system).

## Technical data:

| | |
|---|---|
| Dimensions (LxWxH) [cm]: | 185-210 x 51 x 55-96 |
| Weight [kg]: | 135 |
| Max. lifting capacity [kg]: | 180 |
| Shift [cm]: | 0-19 |
| Power supply [V; Hz]: | 100-240; 50-60 |

# Vertimo Classic/Hi-Lo | Tilting tables



Box dimensions: **220 x 85 x 80 cm** Weight: **+50 kg**

**Vertimo Classic** - very stable 1-section tilting table with electric adjustment of verticalisation.

## Features:

- 1-section table.
- Electric motor for tilting adjustment.
- Manual remote control for the adjustment of tilting angle with access authorization - with a special key placed in the remote control.
- Brackets for the attachment of fastening belts and additional accessories.
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, very stable steel frame.
- 4 large separately lockable castors (movement and rotation lock).

## Technical data:

| | |
|---|---|
| Number of sections: | 1 |
| Dimensions (L x W) [cm]: | 190 x 69 |
| Table top inclination angle [°]: | 0-87 |
| Height [cm]: | 53 |
| Max. lifting capacity [kg]: | 150 |
| Weight [kg]: | 100 |
| Power supply [V/Hz]: | 230/50 |


## Standard accessories for Vertimo line:

- fastening belts.

## Additional accessories for Vertimo line:



**Support table**



**Arm supports**



**1-section (UNO)** **2-section (DUO)** **2-section (DUO+)**

Box dimensions: **220 x 85 x 80 cm** Weight: **+50 kg**

**Vertimo Hi-Lo** - very stable 1- or 2-section tilting table with eletric adjustment of verticalization.
Available in 3 versions:

- 1-section (**UNO**) tilting table,
- 2-section (**DUO**) tilting table,
- 2-section (**DUO+**) tilting table.

## Features:

- 1 or 2-section table.
- 2 electric motors – one ensures smooth tilting; the other one adjusts height.
- Electric height and tilting adjustment with manual remote control with the function of access authorization - authorization is done by a special key placed in the remote control.
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, very stable steel frame.
- 2 separately adjustable footrests.
- Brackets for the attachment of fastening belts and additional accessories.
- 4 large separately lockable castors (movement and rotation lock).
- Tilt angle indicator.
- Emergency battery back-up power supply (allows table lowering to min. height and return to horizontal position at power failures).
- Vertimo Hi-Lo DUO+ - option with faster motor, quick, release system (ensures fast bed lowering in emergency situations, bracket for leg belts).

## Technical data:

| | |
|---|---|
| Number of sections: | 1/2 |
| Dimensions (L x W) [cm]: | 190 x 69 |
| Footrest length [cm]: | 36 |
| Table top inclination angle [°]: | 0-87 |
| Head section inclination angle (2-section ver.) [°]: | -30/+15 |
| Footrest inclination angle [°]: | 0-85 |
| Height adjustment (1-, 2-section ver./DUO+ ver.) [cm]: | 53-103/54-92 |
| Max. lifting capacity (tilting) [kg]: | 150 |
| Max. lifting capacity (up/down) [kg]: | 225 |
| Castors diameter [cm]: | 10 |
| Weight [kg]: | 130 |
| Power supply [V/Hz]: | 230/50 |

# Fiji P5/57

Pacific examination and treatment tables

# Hawaii S2/S4

Pacific examination and treatment tables





Box dimensions: **220 x 95 x 95 cm** Weight: **+50 kg**

Length: **212 cm**

Height: **65-105 cm (Fiji), 63-103 cm (Hawaii)**

Width: **80 cm**

Weight: **130 kg**

Max load: **150 kg**

**PACIFIC** examination and treatment table is intended for standard examinations and procedures carried out in a wide scope, also used for simple medical activities. It is usually used in professional medical care facilities, i.e. hospital, clinic, as well as in doctor's offices, treatment rooms or diagnostic laboratories.

## Additional option:

- Integrated option of heating and LED lights.
- Central lift (2 castors central lifted).

## Technical data:


| | FIJI | HAWAII |
|---|---|---|
| Number of sections: | 5 or 7 | 2 or 4 |
| Height adjustment (at 15/9 cm upholstery) [cm]: | 65-105/59-99 | 63-103/57-97 |
| Dimensions (L x W) [cm]: | 212 x 80 | 212 x 80 |
| Weight [kg]: | 150 | 130 |
| Max. lifting capacity [kg]: | 150 | 150 |
| Power supply [V/Hz]: | 230/50 | 230/50 |


## Features:


- 7-section massage couch with electric height adjustment by the means of a remote (controller).
- Head section adjustment by the means of gas spring.
- Head rest with shaped face hole with crescent plug.
- Foldable armrests lowered till 19 cm (only in 7 section table) .
- Adjustment of: back, thighs, shanks sections by means of electric motors.
- Multi-layered and very soft upholstery of 15 cm thickness (or 9 cm).
- Trendelenburg/reverse Trendelenburg position (15°).
- 2 wheels.


## Features:

- 2-section or 4-section massage couch with electric height adjustment by the means of a remote (controller).
- Head section adjustment by the means of gas spring.
- Head rest with shaped face hole with crescent plug.
- Foldable armrests lowered till max. 19 cm (only in version 4-section).
- Multi-layered and very soft upholstery of 15 cm thickness (or 9 cm).
- Trendelenburg/reverse Trendelenburg position (15°).
- 2 wheels.



# Kangoo S3.C4 | Examination and treatment table





Box dimensions: **220 x 85 x 75 cm** Weight: **+50 kg**

Length: **189 cm**

Height: **47-92 cm**


Width: **72 cm**


Weight: **116 kg**

Max load: **250 kg**

**KANGOO** examination and treatment table is intended for standard examinations and procedures carried out in a wide scope. Well-thought-out design, the possibility to adjust the angles of individual table sections and the stability of the product ensure that the patient is in a comfortable position for examination/treatment.

The table offers possibility of the Trendelenburg and reverse Trendelenburg position (-18°/+18°).




## Features:

- 3- section table, with a long head section.
- Adjustable head and foot section from -18° to 85° with a gas springs.
- Trendelenburg/reverse Trendelenburg.
- Face hole in the head section with a removable face hole cover.
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated stable steel frame.
- 2 retractable side safety railings for fall prevention; fold-down when table subjected to normal use activities.
- Electric height adjustment (47-92 cm) using manual remote control.
- Battery backup, cordless operation.
- Safety - authorization key (blocks the change of position).
- 4 large 125 mm braked castors with foot locking mechanism.
- Paper towel hanger at rear of backrest.

## Technical data:

| | |
|---|---|
| Height adjustment [cm]: | 47-92 |
| Dimensions (length x width) [cm]: | 189 x 72 |
| Weight [kg]: | 116 |
| Maximum load [kg]: | 250 |
| Paper roll width [cm]: | 60 |
| Power supply [V/Hz]: | 230/50 |



# Safari Buffalo E2.C4-H | Patient transport table





Length: **228 cm** | Hight: **51-100 cm** | Width: **80 cm** | Weight: **115 kg** | Max load: **200 kg**

Patient transport table **Safari Buffalo** is designed for efficient transport in medical facilities.
The table is very safe for the patient and ensures easy operation for caregivers. The simple design provides efficient transport for an economical value.


## Features:

- 2-sections transport stretcher with a powerful hydraulic actuator.
- Adjustable head section from 0° to +70° with 2 gas springs .
- Removable matress in navy blue colour (60 mm thickness) made of high-quality polyurethane foam (40-45 kg/m$^3$) and fabric; fabric features: flame retardant/ mildew resistant/impermeable/easy to clean (can be washed in 60-90°C, resistant for disinfectants).
- Powder coated, very stable scissor steel frame.
- Hydraulic high/low height adjustment with a capacity up to 200 kg.
- High/low height adjustment from 51 to 100 cm with foot pedal accessible from both sides of the table.
- 4 large 125 mm TENTE noiseless castors (total lock) which increase manoeuvrability; electrically conductive/anti static wheels that eliminate static electricity.

## Accessories:



Hanger for oxygen tank



Basket for i.e. clothes




Drip hanger (can be attached on both sides in easy and fast way)



600 mm wide paper towel hanger located on the head section

## Table articulations:




## Equipped with:

- Folding horizontal barriers on both sides
- Handles for transport on the head and leg sections
- Bumpers at the corners

## Additional option:

- The table offers possibility of the Trendelenburg/reverse Trendelenburg position (-10°/+10°).

## Technical data:

| | |
|---|---|
| Dimensions (length x width) [cm]: | 228 x 80 |
| Number of sections: | 2 |
| Head section inclination angle [°]: | 0/+70 |
| Laying width [cm]: | 69 |
| Height adjustment [cm]: | 51-100 |
| Weight [kg]: | 115 |
| Max. lifting capacity [kg]: | 200 |

# LZM type 3 | Metal treatment couch

# Stools for therapist



Box dimen.: **198 x 66 x 17 cm** Weight: **+2 kg**

## LZM type 3:

LZM couches are designed to be used in therapeutic procedures to heal or provide relief in injuries or other impairments by means of natural physical factors. The couch is also used in doctor's surgeries. It allows the patients to assume a comfortable horizontal position thanks to its adjustable head rest.


## Features:

- Adjustable head rest (from 0° to 50°).
- Padding with non-flammable, bio-compatible and scratchproof upholstery in many colours.
- Powder coated, very stable steel frame.
- Paper towel hanger (option).

## Technical data:

| | |
|---|---|
| Number of sections: | 2 |
| Front section angle adjustment [°]: | 0/+50 |
| Dimensions (L x W) [cm]: | 193 x 61 |
| Hight [cm] | 65 |
| Maxium paper width [cm]: | 60 |
| Weight [kg]: | 16 |

## Accessories:



**Paper roll hanger**



Box dimen.: **60 x 59 x 24 cm** Weight: **+1,5 kg**

**FLEXI Saddle stool:** lightweight and comfortable stool for physicians and therapists with chrome-plated base and column.

## Features:

- Poromeric leather.
- Height adjustment.
- Tilting seat (front/back).
- Chrome-plated base.
- Rubberised castors.

## Technical data:

| | |
|---|---|
| Height [cm]: | 54-74 |
| Tilting adjustment [°]: | 15 |
| Max. load [kg]: | 150 |
| Weight [kg]: | 7,5 |
| Base ø [cm]: | 60 |
| Seat dimension [cm]: | 43x34 |

## Option:

- version with self breaking castors.



Box dimen.: **60 x 59 x 18 cm** Weight: **+1 kg**

**STANDARD Round stool:** lightweight and comfortable stool for physicians and therapists.

## Features:

- Poromeric leather.
- Height adjustment.
- Chrome-plated base.
- Rubberised castors.

## Technical data:

| | |
|---|---|
| Height [cm]: | 51-71 |
| Max. load [kg]: | 150 |
| Weight [kg]: | 6,5 |
| Base ø [cm]: | 60 |
| Seat dimension ø [cm]: | 36 |

## Option:

- version with self breaking castors.

# Qubiq, Medcart, Trolmed | Medical equipment trolleys

Excellent sollution for electro- and physical therapy rooms. The construction of the trolley is designed specifically to accommodate the various types of medical equipments and allows easy access to them by appropriate arrangement of shelves in the space of the trolley.

The wheels ensure the mobility of the trolley and effortless maneuverability, and the brakes ensure stability and safety during treatments.

## Medical equipment trolley QUBIQ

### Features:

- Compact shape.
- Stable.
- Made of aluminium, powder coated.
- 1 top shelf.
- 1 practical container for accessories.
- 2 drawers.
- Noiseless 4 transport wheels with brake.

### Technical data:

| | |
|---|---|
| Dimensions (LxWxH) [cm]: | 46 x 35 x 76 |
| Max. load [kg]: | 30 |
| Drawer max. load [kg]: | 5 |
| Weight [kg]: | 16,5 |



## Medical equipment trolley MEDCART

### Features:

- Compact shape.
- Stable.
- Made of aluminium, powder coated.
- 2 shelves.
- Noiseless 4 transport wheels with brake.

### Technical data:

| | |
|---|---|
| Dimensions (LxWxH) [cm]: | 39 x 35 x 76 |
| Max. load [kg]: | 15 |
| Drawer max. load [kg]: | 6 |
| Weight [kg]: | 7 |




## Trolley for medical devices TROLMED type SPA-2

### Features:

- Compact shape.
- Powder coated steel.
- 2 shelves.
- 4 transport wheels; with brake.
- Removable 22l basket (optional accessory).
- Removable 5l basket (optional accessory).

optional accessory:



5l



22l

### Technical data:

| | |
|---|---|
| Dimensions (WxDxH) [cm]: | 54 x 43 x 89,5 |
| Max. load (per shelf) [kg]: | 25 |
| Max. load (per basket / per small basket) [kg]: | 5 / 2 |
| Weight [kg]: | 14 |



# Other equipment

As in this catalogue we presented only a part of our varied offer we encourage you to browse our full offer online:

## www.en.meden.com.pl



You can find there:

- physiotherapy devices,
- devices for neruological rehabilitaion
- many accessories as bolsters, wedges, stabilization belts, traction supports
- devices for supporting spine rehabilitation,
- hydrotherapy devices,
- patient lifts,
- neurological walkers,

... and many others.

# How to order easily

If our catalogue is of interest to you and you want to order any of presented products, please don't hesitate to contact us:



*European markets*

Kamilla Modzelewska
Vice President

km@meden.com.pl
+48 94 344 90 50
+48 602 668 002



*CIS region, Ukraine, Georgia*

Oksana Ardan
Key Account Specialist

oardan@meden.com.pl
+48 94 347 10 67
+48 607 566 302



*North America*

Karol Wojciechowski
Key Account Specialist
& Service Coordinator

kwojciechowski@meden.com.pl
+48 609 132 477



*South America, Australia, Asia and Middle East*

Mariusz Rubik
Key Account Specialist
& Training Consultant

mrubik@meden.com.pl
+48 690 266 543



Mateusz Baranowski
Training Consultant

mbaranowski@meden.com.pl
+48 663 152 888

The information contained in this catalogue is intended for professionals.

# Index


A

Accessories 23

C

Chirospace 39

E

Elemental Ice 20
Elemental Fire 21

F

Fiji P5/P7 41

H

Hawaii S2/S4 41

K

Kangoo 42

L

LZM 44

M

Medcart 45

N

Nexus 36

S

Safari Buffalo E2.C4-H 43
Safari Elephant B-S1 37
Safari Elephant B-S2 38
Safari Hydraulic Tables 34
Safari Jaguar P3 31
Safari Jaguar P5 32
Safari Leopard S3 29
Safari Leopard S5 30
Safari Puma E-S2 28
Safari Puma S2 26
Safari Puma S4 27
Stools 44

T

Terapeuta Prestige E-S2 14
Terapeuta Prestige M-P3 8
Terapeuta Prestige M-P5 11
Terapeuta Prestige M-P7 13
Terapeuta Prestige M-S2 6
Terapeuta Prestige M-S3 7
Terapeuta Prestige M-S4 9
Terapeuta Prestige M-S5 10
Terapeuta Prestige M-S7 12
Terapeuta Prestige O-P5 16
Terapeuta Prestige O-S5 15
Trolmed 45

V

Vertimo Classic/Hi-Lo 40

W

WaveMotion Ellipse 35

Q

Qubiq 45


MEDEN INMED
PROFESSIONAL MEDICAL ENGINEERING

**Meden-Inmed Sp. z o.o.**
Wenedów 2, 75-847 Koszalin, Poland

Phone: +48 94 344 90 50, +48 94 347 10 40
Fax: +48 94 347 10 41

international@meden.com.pl
www.en.meden.com.pl

*We export to more than 100 countries:*



2022-12-20 / Wyd. 1 / Wersja 1

Follow us:

TÜVRheinland CERTIFIED
Management System ISO 13485:2016
www.tuv.com ID 0000073249

Manufacturer hereby reserves the right to change design that would not disturb the principal functionality and safety requirements. The colours seen in the catalogue can be differ slightly from the real due to colour printing rendition reasons.