



Slings for patient lifts

2023/2024

These are medical devices.
Use them according to the user manual or label.
The information contained in the catalogue is intended
for healthcare professionals only.

Slings



The catalog contains a proposal of various slings suitable for **Meden-Inmed** patient lifts. The models differ in purpose, material from which they are made and the method of mounting: loops or clips. The slings are available in various sizes. They are designed with maximum functionality as well as the safety and comfort of end-users in mind.

Full Body Sling

Model: 25005



Basic Sling

Model: 25045



Toileting Sling

Model: 25080



Toileting Sling High

Model: 25090



The most appropriate sling

How to choose?



For the correct choice of the sling, it is necessary to know which end-user will use it. Persons with poor trunk and head (neck) stability will need slings with additional head support. However, if the sling is to be used not only for transport, but also to facilitate the hygiene - care and nursing activities, it should be made of a suitable material - polyester net.

There are available two types of fastenings: loops or clips.

The weight of end-user is also important factor for proper sling choosing. There are available slings of different max. load capacity.

Some types of loop slings we propose have straps of different colours.

Color code (blue, green, yellow and red) in that case determinates required positioning. Their proper selection controls the end-user's position and its inclination.

„Clip” fixing: in slings with such type of fastening, there is used simple mechanism that allows to fix slings on all lifters which hanger bars are equipped with pin fasteners. Attaching is accompanied by an audible „click”. Then you can be sure that it is firm and there is no possibility of unexpected loosening. It is fast, simple and one-hand operated.

In this type of fixing, the end-user's inclination is controlled by changing the position of the hanger bar.

Loop's fixing



Clip's fixing



Which type of lift? Which type of sling?

Sit-to-stand lift

Verteo



Max. load (SWL)
only CLIP slings: Back Belt

Patient lift

PatiHoist



Max. load (SWL)
only LOOP slings

Mobile patient lift

Lifteo MLA / ELA



*Max. load (SWL)
LOOP or CLIP slings
(depends on the hanger bar)

Mobile patient lift

Levitop Standard



Max. load (SWL)
LOOP or CLIP slings
(depends on the hanger bar)

Mobile patient lift

Levitop Comfort



Max. load (SWL)
only CLIP slings

Mobile lift








VertiUp / VertiUp Plus



Max. load (SWL)
only CLIP slings

* max. load (SWL) 120 kg (hanger bar 4ESB-S)

Which type of hanger bar? Which type of sling?









Type of hanger bar	Description	Type of lift	Type of sling
	2P35 2-point attachment, length of 35 cm	Lifteo MLA Lifteo ELA	Loop sling
	2P45 2-point attachment, length of 45 cm	Lifteo MLA Lifteo ELA PatiHoist	Loop sling
	2P60 2-point attachment, length of 60 cm	Lifteo MLA Lifteo ELA	Loop sling
	4PSB 4-point attachment	Lifteo MLA Lifteo ELA Levitop Standard	Loop sling
	4MSB 4-point attachment (pins) manual (inclination adjustment)	Lifteo MLA Lifteo ELA Levitop Standard	Clip sling
	4ESB-A 4-point attachment (pins) electrical (inclination adjustment)	Levitop Comfort	Clip sling
	4ESB-A (ver. VertiUp) 4-point attachment (pins), electrical (inclination adjustment) up to 250 kg	VertiUp	Clip sling
	4ESB-S 4-point attachment (pins), electrical (inclination adjustment) up to 120 kg	Lifteo ELA	Clip sling
	4ESB-O 4-point attachment (pins), electrical (inclination adjustment) up to 310 kg	VertiUp* VertiUp Plus	Clip sling

* max. load 250 kg



Choosing the right material

The slings can be made of various materials, depending on their purpose.

Polyester	Polyester Net	Ventilated Polyester	Soft Air Mesh
			
Durable, low-friction, easy to clean. Low friction fabric makes application smoother.	Soft, thin material that breathes and dries quickly. Ideal for bathing, showering and toileting.	Maximum airflow and breathability. Can be left behind end-user like a sheet. Only in Positioning/ Bariatric Slings.	Lightweight, cool, soft and breathable mesh fabric, that pulls moisture away from skin.
			
			The material also absorbs involuntary movements (suitable for persons with muscle spasms).

A photograph showing a young woman, likely a caregiver, smiling and assisting an elderly woman. The elderly woman is using a silver walker and is wearing a white lace-trimmed top and a beige Toileting Sling. The caregiver is wearing a beige uniform. They are in a room with a window and a bookshelf in the background.

Toileting Sling

- Low/high models with divided leg parts
- Reinforced back
- Suitable for end-users with good trunk and neck stability - 25080
- Suitable for end-users with poor trunk stability - 25090
- Upright sitting position

The Toileting Sling is available in a low and high back model. Both feature a reinforced back support and padding under the arms for extra comfort. The wide partition of the leg parts makes the sling application fast and simple and enables dressing and undressing during toileting or bathing.



Use to/from a bed

Suitable for transfers and repositioning to and from a bed. Can be left behind person for short period of time.



Use to/from a chair

Suitable for transfers and repositioning to and from a chair. Can be left behind person for short period of time.



Use for showering

Only **Polyester Net** fabric can be used for this application.



Use for toileting

Only **Polyester Net** fabric can be used for this application.




Suitable for work with lifts:

- Loop sling: Lifteo ELA/MLA, PatiHoist, Levitop Standard.
- Clip sling: Lifteo ELA/MLA, Levitop Standard, Levitop Comfort, VertiUp, VertiUp Plus.

Model: 25080


Toileting Sling, polyester (loops), max. 300 kg (SWL)



Model	Size	A	B	C
25080 - M 03-HCA-HCA-0094	Medium	48 cm	90 cm	33 cm
25080 - L 03-HCA-HCA-0004	Large	49 cm	97 cm	33 cm
25080 - XL 03-HCA-HCA-0095	Extra Large	56 cm	100 cm	38 cm

Model: 25090


Toileting Sling High Net, polyester net (loops), max. 300 kg (SWL)



Model	Size	A	B	C
25090 - M 03-HCA-HCA-0047	Medium	48 cm	92 cm	83 cm
25090 - L 03-HCA-HCA-0005	Large	49 cm	99 cm	90 cm
25090 - XL 03-HCA-HCA-0096	Extra Large	56 cm	101 cm	100 cm

Model: 25090C

Toileting Sling High E-clip Net (clips), max. 250 kg (SWL)



Model	Size	A	B	C
25090C - M 03-HCA-HCA-0076	Medium	48 cm	90 cm	76 cm
25090C - L 03-HCA-HCA-0069	Large	50 cm	98 cm	81 cm
25090C - XL 03-HCA-HCA-0077	Extra Large	56 cm	101 cm	94 cm

Full Body Sling

- High back model with divided leg parts
- Extra head support
- Suitable for end-users with poor trunk stability
- Reclined sitting position
- Available with Loops or Clips

The **Full Body sling** offers good support for the entire back and extra support for the head. Available in 3 different fabrics, the Full Body sling can be used in most lifting situations and fits most end-users.

The **Full Body slings** are designed to create a reclined seated position which is extremely helpful if the person has poor trunk stability and/or a tendency to overstress themselves (spastic performance) or are hypertonic. The reclined position prevents the user from sliding out of the sling.



Use to/from a bed

Suitable for transfers and repositioning to and from a bed. Can be left behind end-user for short period of time.



Use to/from a chair

Suitable for transfers and repositioning to and from a chair. Can be left behind end-user for short period of time.



Use for showering

Only **Polyester Net** fabric can be used for this application.



Use to/from the floor

Suitable for transfers from the floor.




Suitable for work with lifts:

- Loop sling: Lifteo ELA/MLA, PatiHoist, Levitop Standard.
- Clip sling: Lifteo ELA/MLA, Levitop Standard, Levitop Comfort, VertiUp, VertiUp Plus.

Model: 25005

Full Body Sling Net, polyester net (loops), max. 300 kg (SWL)



Model	Size	A	B	C
25005 - M 03-HCA-HCA-0082	Medium	26 cm	85 cm	95 cm
25005 - L 03-HCA-HCA-0058	Large	34 cm	96 cm	95 cm
25005 - XL 03-HCA-HCA-0089	Extra Large	36 cm	105 cm	106 cm

Model: 25010


Full Body Sling, polyester (loops), max. 300 kg (SWL)



Model	Size	A	B	C
25010 - M 03-HCA-HCA-0051	Medium	40 cm	92 cm	91 cm
25010 - L 03-HCA-HCA-0050	Large	40 cm	98 cm	100 cm
25010 - XL 03-HCA-HCA-0093	Extra Large	44 cm	105 cm	102 cm

Model: 25006C

Full Body Sling In-Situ E-clip Net, polyester net (clips), max. 300 kg (SWL)



Model		Size	A	B	C
25006C - M 03-HCA-HCA-0090	25011C - M 03-HCA-HCA-0097	Medium	24 cm	92 cm	91 cm
25006C - L 03-HCA-HCA-0085	25011C - L 03-HCA-HCA-0088	Large	28 cm	98 cm	100 cm
25006C - XL 03-HCA-HCA-0084	25011C - XL 03-HCA-HCA-0087	Extra Large	30 cm	98 cm	106 cm

Model: 25011C

Full Body Sling In-Situ E-clip Soft, soft air mesh (clips), max. 300 kg (SWL)

The Full Body Sling In-Situ E-clip has removable stiffeners. By removing the stiffeners, the head support is flexible and can be folded away. The stiffeners need to be in place in their pockets during a transfer for an adequate head support.



Basic Sling

- Shoulder high model with divided leg parts
- No reinforcements, handles or padding
- Suitable for end-user with poor trunk control (but with good head stability)
- Upright sitting position

The **Basic soft sling** can be used in most lifting situations, fits most end-users and is a good choice if it is not established who is going to be using the sling.

Basic Slings offer good support for the entire back without head support, reinforcements or padding. They are suitable for persons with poor trunk stability and upright seating which is especially helpful to ensure proper positioning is achieved when the end-user is placed in a chair or other seating.



Use to/from a bed
Suitable for transfers and repositioning to and from a bed.
Can be left behind end-user for short period of time.



Use to/from a chair
Suitable for transfers and repositioning to and from a chair.
Can be left behind end-user for short period of time.



Use for showering
Only **Polyester Net** fabric can be used for this application.




Use to/from the floor
Suitable for transfers from the floor.



Suitable for work with lifts:
• Loop sling: Lifteo ELA/MLA, PatiHoist, Levitop Standard

Model: 25045

Basic Sling Net, polyester net (loops), max. 300 kg (SWL)



Model: 25070

Basic Sling, polyester (loops), max. 300 kg (SWL)



Model		Size	A	B	C
25045 - M 03-HCA-HCA-0046	25070 - M 03-HCA-HCA-0075	Medium	31 cm	88 cm	63 cm
25045 - L 03-HCA-HCA-0001	25070 - L 03-HCA-HCA-0003	Large	37 cm	93 cm	65 cm
25045 - XL 03-HCA-HCA-0002	25070 - XL 03-HCA-HCA-0098	Extra Large	39 cm	97 cm	70 cm

Positioning/Bariatric Sling

(ventilated)

- Slings for turning and repositioning of end-users
- Offer airflow and breathability
- Ideal for critical care units, persons with no core and head stability
- 8 reinforced straps (6 body, 2 head)

The positioning slings from ventilated material are ideal for critical care units as they can be placed behind the person like a sheet. These slings are ideal for sudden or intended positioning/repositioning, turning and lateral transfers.

These slings easily fit most hospital beds and the material does not promote skin breakdown allowing the sling to remain behind the end-user for short periods of time.



Use to/from a bed

Suitable for transfers and repositioning to and from a bed. Can be left behind end-user for short period of time.



Use to/from a chair

Suitable for transfers and repositioning to and from a chair. Can be left behind end-user for short period of time.



Suitable for work with lifts:

- Loop sling: Levitop Standard


Model: NSB-401-ST

Positioning Sling, ventilated material (loops),
max. 454 kg (SWL)



Model: NSB-410-ST

Bariatric Positioning Sling, ventilated material (loops),
max. 454 kg (SWL)



Model	Size	A	B
NSB-401-ST 03-HCA-HCA-0073	One size	107 cm	198 cm
NSB-410-ST - L 03-HCA-HCA-0091	Large	132 cm	208 cm
NSB-410-ST - XL 03-HCA-HCA-0092	Extra Large	147 cm	208 cm

Back Belt

- Safe E-clips
- Comfortable fit
- Encourages natural movement
- Suitable for end-users with poor stability or who have difficulty getting up

The **Back Belt** sling works with a sit-to-stand lift in order to safely raise or lower persons from a toilet, bed or chair. The padded back provides comfortable back support while getting up. The non-slip surface on the inside of the back prevents the sling from sliding up while the client gets up, allowing both the client and the caregiver to focus entirely on standing up.



Use to/from a bed
Suitable for lifting from bed and helping sit down on bed.



Use to/from a chair
Suitable for transfers and repositioning to and from a chair.



Standing exercises
Suitable for standing and rehabilitation exercises.




Use for toileting
Provides extra support when using the toilet.



Suitable for work with lift:
• Clip sling: Verteo.

Model: 25130C

Back Belt E-clip (clips), polyester, max. 250 kg (SWL)



Model	Size	A	B	C
25130C - M 03-HCA-HCA-0038	Medium	83 cm	30 cm	39 cm
25130C - L 03-HCA-HCA-0039	Large	92 cm	34 cm	44 cm

Universal Basic Sling

with head support

- For end-users with no or with poor core and head stability
- With extra head support
- Safe and comfortable lower limbs support

The sling is designed for people who need additional support around the head, with no or poor stability of the torso, head and neck. The sling provides very good support around the thighs and upper body, giving the user a sense of comfort and safety. It is used for transfers from a sitting or lying position.



Use to/from a bed
For transfers to and from a bed.




Use to/from a chair
For transfers to and from a chair.




Suitable for work with lifts:
• Loop sling: Lifteo ELA/MLA, PatiHoist, Levitop Standard.

Model: Universal Basic HS

Universal Basic with head support, polyester (loops), max. 275 kg (SWL)



Polyester
extra durable and easy to clean



Model	Size	Y	Z
009-09825 Universal Basic HS M 03-WCR-WCR-0005	Medium	48 cm	91 cm
009-09826 Universal Basic HS L 03-WCR-WCR-0006	Large	52 cm	100 cm
009-09827 Universal Basic HS XL 03-WCR-WCR-0020	Extra Large	68 cm	100 cm

Universal Basic Mesh Sling

- Safe and comfortable lower limbs support
- Can be used for bathing, showering

The sling is intended for people who had good control about head position and no need additional support around the head. It provides very good support around the thighs and upper body, giving the user a sense of comfort and safety. It is used for transfers from a sitting or lying position. For people with no torso stability. The sling made of polyester mesh, suitable for bathing.



Use to/from a bed
For transfers to and from a bed.



Use to/from a chair
For transfers to and from a chair.




Use for showering




Suitable for work with lifts:
• Loop sling: Lifteo ELA/MLA, PatiHoist, Levitop Standard

Model: Universal Basic Mesh

Universal Basic Mesh sling, polyester mesh (loops), bathing, max. 275 kg (SWL)



Polyester Mesh
suitable especially for **bathing**



Model	Size	Y	Z
009-09815 Universal Basic Mesh M 03-WCR-WCR-0069	Medium	48 cm	66 cm
009-09816 Universal Basic Mesh L 03-WCR-EGL-0028	Large	52 cm	75 cm
009-09817 Universal Basic Mesh XL 03-WCR-WCR-0070	Extra Large	68 cm	75 cm

Universal Basic Mesh Sling

with head support

- For end-users with no or with poor core and head stability
- With extra head support
- Safe and comfortable lower limbs support
- Can be used for bathing, showering

The sling is intended for people who need additional support around the head. It provides very good support around the thighs and upper body, giving the user a sense of comfort and safety. It is used for transfers from a sitting or lying position. For people with no torso stability. The sling made of polyester mesh suitable for bathing.



Use to/from a bed
For transfers to and from a bed.



Use to/from a chair
For transfers to and from a chair.




Use for showering




Suitable for work with lifts:
• Loop sling: Lifteo ELA/MLA, PatiHoist, Levitop Standard

Model: Universal Basic Mesh HS

Universal Basic Mesh sling with head support, polyester mesh (loops), bathing, max. 275 kg (SWL)



Polyester mesh
suitable especially for **bathing**



Model	Size	Y	Z
009-09835 Universal Basic HS mesh M 03-WCR-WCR-0051	Medium	48 cm	91 cm
009-09836 Universal Basic HS mesh L 03-WCR-WCR-0054	Large	52 cm	100 cm
009-09837 Universal Basic HS mesh XL 03-WCR-WCR-0055	Extra Large	68 cm	100 cm

Clip Fixing Slings

Model: HY(SIZE)CP

High Easy Sling, polyester or polyester mesh, clips, max. 220 kg (SWL), sizes: M, L, XL



Suitable for work with lifts:

- Clip sling: Lifteo ELA/MLA, Levitop Standard, Levitop Comfort, VertiUp, VertiUp Plus.

Safety „Click-on Click-off” action ensures a physical click is heard on the application of the hanger bar.



100% Polyester







100% Polyester Mesh





- Clip fixing sling
- Full body sling with head support
- Divided padded leg sections
- Removable head support stiffeners
- Ideal for general transfers

- Small aperture for hygiene purposes
- Universal clip fixings
- Wash temp 85°C
- Tumble dry low heat (max 50°C)



Model		Size	A	B	C	D
100% Polyester	100% Polyester Mesh					
HYAMEDCP 03-SLV-SLV-0021	HYBMEDCP 03-SLV-SLV-0015	Medium	96-108 cm	74-80 cm	81 cm	93 cm
HYALRGCP 03-SLV-SLV-0022	HYBLRGCP 03-SLV-SLV-0019	Large	108-130 cm	80-88 cm	93 cm	96 cm
HYAXLRGCP 03-SLV-SLV-0023	HYBXLRGCP 03-SLV-SLV-0008	Extra Large	130-144 cm	88-100 cm	103 cm	102 cm

- Clip fixing sling
- Semi rigid corset style stand aid
- Deep black design providing additional support
- Clunk-click buckle and hook and loop fixing waist support for additional safety
- Suitable for maintaining mobility or rehabilitation
- Padded underarm rolls for extra comfort
- Patient should have some core stability and weight bearing ability
- Wash temp 85°C
- Tumble dry low heat (max 50°C)



Model: DA-AS112

Rigid Stand Aid Sling, polyester, clips, max. 220 kg (SWL), sizes: M, L, XL



Suitable for work with lift:

- Clip sling: Verteo



Model	Size	A	B	C
100% Polyester				
DA-AS112-M 03-SLV-SLV-0024	Medium	97-117 cm	88 cm	37 cm
DA-AS112-L 03-SLV-SLV-0025	Large	112-132 cm	98 cm	42 cm
DA-AS112-XL 03-SLV-SLV-0026	Extra Large	125-145 cm	110 cm	49 cm

Loop Fixing Slings


Model: S2HS

Fastfit Padded Leg HS, polyester or polyester mesh, loops, max. 220 kg (SWL), sizes: M, L, XL

Multiple colour coded internal loops offer maximum flexibility when positioning patients. This ensures optimum accuracy of application for caregivers as the coloured positions can be recorded as part of a care plan for consistency.

100% Polyester


100% Polyester Mesh



Suitable for work with lifts:


- Loop sling: Lifteo ELA/MLA, Levitop Standard, PatiHoist.

- Loop fixing sling
- Adjustable integral head support with removable stiffeners
- Full body supportive sling
- Divided padded leg sections
- Ideal for general transfers
- Small aperture for hygiene purposes
- Colour coded tapes
- Wash temp 85°C
- Tumble dry low heat (max 50°C)



Model		Size	A	B	C	D
100% Polyester	100% Polyester Mesh					
S2HSAM 03-SLV-SLV-0029	S2HSBM 03-SLV-SLV-0028	Medium	96-108 cm	74-80 cm	101 cm	92 cm
S2HSAL 03-SLV-SLV-0030	S2HSBL 03-SLV-SLV-0010	Large	108-130 cm	80-88 cm	117 cm	98 cm
S2HSAXL 03-SLV-SLV-0031	S2HSBXL 03-SLV-SLV-0027	Extra Large	130-144 cm	88-100 cm	127 cm	104 cm

- Loop fixing sling
- Full body supportive stretcher sling
- Supine position achievable
- Creates full body stability
- Supplied with removable adjustable soft neck roll and waist support
- Boards can be removed when laundering
- Wash temp 85°C
- Tumble dry low heat (max 50°C)



Model	Size	A	B	C	D
100% Polyester Mesh					
033BS 03-SLV-SLV-0032	Small	86-96 cm	100-120 cm	70 cm	130 cm
033BM 03-SLV-SLV-0033	Medium	96-108 cm	120-160 cm	80 cm	178 cm
033BL 03-SLV-SLV-0034	Large	108-130 cm	160-190 cm	89 cm	204 cm

Model: 033B

Stretcher Sling, polyester mesh, loops, max. 220 kg (SWL), sizes: S, M, L



Suitable for work with lift:

- Loop sling: Levitop Standard



Other equipment

As slings for patient lifts are only very small fragment of our varied offer we encourage you to browse our full offer online:
www.en.meden.com.pl


You can find there:

- patient lifts,
- chiropractic tables,
- treatment tables,
- many accessories as bolsters, wedges, stabilization belts,
- neurological walkers,
- hydrotherapy devices,
- devices for physical therapy
- ... and many others.




Product trainings

Out of concern for our business partners, we have prepared various trainings and presentations about the products from our large offer. In our team we have a person who is responsible for our equipments' trainings, equipment demonstrations at the customers' premises, at exhibitions and congresses.



Mariusz Rubik
Training Consultant
mrubik@meden.com.pl
+48 690 266 543



Mateusz Baranowski
Training Consultant
mbaranowski@meden.com.pl
+48 663 152 888

How to order easily

If our catalogue is of interest to you and you want to order any of presented products, please don't hesitate to contact us:



European markets
Kamilla Modzelewska
Vice President
km@meden.com.pl
+48 94 344 90 50
+48 602 668 002



CIS region, Ukraine, Georgia
Oksana Ardan
Key Account Specialist
oardan@meden.com.pl
+48 94 347 10 67
+48 607 566 302



North/South America, Africa, Ireland, GB
Tomasz Górecki
Key Account Manager
tgorecki@meden.com.pl
+48 601 646 866



Australia, Asia and Middle East
Mariusz Rubik
Key Account Specialist
& Training Consultant
mrubik@meden.com.pl
+48 690 266 543



Meden-Inmed Sp. z o.o.

Wenedów 2, 75-847 Koszalin, Poland


Phone: +48 94 344 90 50, +48 94 347 10 40

Fax: +48 94 347 10 41

international@meden.com.pl

www.en.meden.com.pl

We export to more than 100 countries:



2023-10-26 / Wyd. 8 / Wersja 7

Find us

Check out our social media websites. There you will find videos, photos and many useful informations.



This catalogue is for information purposes and cannot be treated as a commercial offer within the meaning of Art. 66 CC. Manufacturers reserve the right to design changes that would not disturb the principal functionality and safety requirements. Despite every effort the colours presented in the catalogue can be differ from the real due to colour printing rendition reasons.